Version

Sikagard®-720 EpoCem® (C)

Revision Date:



Date of last issue: 13.02.2020

vers 1.1		8.2022		000000606036	Date of first issue: 13.02.2020
1. P	RODUCT AND (COMPANY IDENT	TIF	FICATION	
	Product name			Sikagard [®] -720 EpoCem [®] (C)	
	Manufacturer o	or supplier's deta	ails	S	
	Company			Sika (Singapore) Pte Ltd.	
				28 Tuas South Ave 8 637648 Singapore	
	Telephone	:		+65 6861 0632	
	Emergency tele	phone number :		+65 6861 0632	
	E-mail address	:		-	
	Telefax	:		+65 6862 3915	

SDS Number:

2. HAZARDS IDENTIFICATION

GHS Classification Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 1
Specific target organ toxicity - single exposure	:	Category 3 (Respiratory system)
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation.
Precautionary statements	:	Prevention: P261 Avoid breathing dust. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/ eye protection/ face protection.
		Response:

Sikagard®-720 EpoCem® (C)



Version 1.1	Revision Date: 12.08.2022	SDS Number: 000000606036	Date of last issue: 13.02.2020 Date of first issue: 13.02.2020	
		and keep comfortable for br doctor if you feel unwell. P305 + P351 + P338 + P31 water for several minutes. R and easy to do. Continue rir CENTER/ doctor. P332 + P313 If skin irritatior tion.	Wash with plenty of water. IALED: Remove person to fresh air eathing. Call a POISON CENTER/ 0 IF IN EYES: Rinse cautiously with Remove contact lenses, if present nsing. Immediately call a POISON in occurs: Get medical advice/ atten- aminated clothing and wash it before	
		Storage: P403 + P233 Store in a well-ventilated place. Keep tightly closed.		
		Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.		

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Com	onents
-----	--------

Chemical name	CAS-No.	Concentration (% w/w)
Quartz (SiO2)	14808-60-7	>= 50 -< 70
Cement (chromium reduced)	65997-15-1	>= 30 -< 50
Fumes, silica	69012-64-2	>= 1 -< 10
Titanium dioxide (> 10 μm)	13463-67-7	>= 1 -< 10

4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty
		0 / 10

Sikagard[®]-720 EpoCem[®] (C)



Versio 1.1	on Revision Date: 12.08.2022		ast issue: 13.02.2020 rst issue: 13.02.2020		
		of water and seek medical advice. Continue rinsing eyes during transport to hos Remove contact lenses. Keep eye wide open while rinsing.	spital.		
	If swallowed	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention.			
	Most important symptoms and effects, both acute and delayed	irritant effects Cough Respiratory disorder Excessive lachrymation Dermatitis See Section 11 for more detailed information on health effects and symptoms. Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.			
	Notes to physician	Treat symptomatically.			
5. FI	REFIGHTING MEASURES				
	Suitable extinguishing media	Use extinguishing measures that are approp cumstances and the surrounding environment			

6. ACCIDENTAL RELEASE MEASURES

Specific extinguishing meth- :

ucts

ods

for firefighters

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.
Environmental precautions	:	Try to prevent the material from entering drains or water courses. No special environmental precautions required.
Methods and materials for containment and cleaning up	:	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

Standard procedure for chemical fires.

Hazardous combustion prod- : No hazardous combustion products are known

Sikagard[®]-720 EpoCem[®] (C)



Version 1.1	Revision Date: 12.08.2022		SDS Number: 000000606036	Date of last issue: 13.02.2020 Date of first issue: 13.02.2020		
7. HANDL	ING AND STORAGE					
	Advice on protection against : fire and explosion		Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.			
Advic	Advice on safe handling		Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products			
Condi	itions for safe storage	:	Store in original container. Keep in a well-ventilated pla Observe label precautions. Store in accordance with lo			
	er information on stor- tability	:	Keep in a dry place. No decomposition if stored	and applied as directed.		

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Quartz (SiO2)	14808-60-7	PEL (long term) (Res- pirable dust)	0.1 mg/m3	SG OEL
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3	ACGIH
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3	ACGIH
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH
Cement (chromium reduced)	65997-15-1	PEL (long term)	10 mg/m3	SG OEL



Sikagard®-720 EpoCem® (C)

Version 1.1	Revision Date: 12.08.2022	SDS Nu 0000006			sue: 13.02.2020 sue: 13.02.2020		
			TWA (Res- pirable par- ticulate mat- ter)	1 mg/m3	ACGIH		
Fume	es, silica	69012-64-2	PEL (long term) (Res- pirable dust)	2 mg/m3	SG OEL		
Titani	ium dioxide (> 10 μm)	13463-67-7	PEL (long term)	10 mg/m3	SG OEL		
			TWA	10 mg/m3 (Titanium dioxide)	ACGIH		
Pers	onal protective equipm	ent					
Resp	iratory protection	ventilation is that exposure The filter clas imum expecte (gas/vapour/a dling the proc	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max- imum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when han- dling the product. If this concentration is exceeded, self- contained breathing apparatus must be used.				
Hand protection : Chemical-resistant, impervious gloves approved standard should be worn at chemical products if a risk assessmer essary.		worn at all times wh	en handling				
Eye p	protection		Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary.				
Skin	and body protection	tration and ar	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.				
Hygie	ene measures	practice. When using o When using o	do not eat or drir do not smoke.	bod industrial hygiene hk. nd at the end of work			

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	light grey
Odour	:	odourless
Odour Threshold	:	No data available
рН	:	Not applicable

Sikagard®-720 EpoCem® (C)



Versio 1.1	on Revision Date: 12.08.2022		SDS Number: 000000606036	Date of last issue: 13.02.2020 Date of first issue: 13.02.2020
	Melting point/range / Freezing point	:	No data available	
	Boiling point/boiling range	:	No data available	
	Flash point	:	Not applicable	
	Evaporation rate	:	No data available	
	Flammability (solid, gas)	:	No data available	
	Upper explosion limit / Upper flammability limit	:	No data available	
	Lower explosion limit / Lower flammability limit	:	No data available	
	Vapour pressure	:	No data available	
	Relative vapour density	:	No data available	
	Density	:	No data available	
	Bulk density	:	1,500 kg/m3	
	Solubility(ies) Water solubility	:	No data available	
	Solubility in other solvents	:	No data available	
	Partition coefficient: n-	:	No data available	
	octanol/water Auto-ignition temperature	:	No data available	
	Decomposition temperature	:	No data available	
	Viscosity Viscosity, dynamic	:	No data available	
	Viscosity, kinematic	:	Not applicable	
	Explosive properties	:	No data available	
	Oxidizing properties	:	No data available	

10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	No hazards to be specially mentioned.

Sikagard[®]-720 EpoCem[®] (C)



Version 1.1	Revision Date: 12.08.2022		SDS Number: 000000606036	Date of last issue: 13.02.2020 Date of first issue: 13.02.2020
Condit	tions to avoid	:	No data available	
Incompatible materials		:	No data available	

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Sikagard[®]-720 EpoCem[®] (C)



Version 1.1	Revision Date: 12.08.2022		SDS Number: 000000606036	Date of last issue: 13.02.2020 Date of first issue: 13.02.2020
Other	r adverse effects			
<u>Produ</u> Additi matio	ional ecological infor-	:	There is no data available f	or this product.
13. DISPO	SAL CONSIDERATIO	NS		
Dispo	osal methods			
Waste	e from residues	:	Do not contaminate ponds, cal or used container. Send to a licensed waste m	waterways or ditches with chemi- nanagement company.
Conta	aminated packaging	:	Empty remaining contents. Dispose of as unused produ Do not re-use empty contai	

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number Proper shipping name Class Subsidiary risk Packing group Labels	:	Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable
IATA-DGR UN/ID No. Proper shipping name Class Subsidiary risk Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)		Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable
IMDG-Code UN number Proper shipping name Class Subsidiary risk Packing group Labels EmS Code Marine pollutant	:	Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable

Sikagard[®]-720 EpoCem[®] (C)



Version	Revision Date:	SDS Number:	Date of last issue: 13.02.2020
1.1	12.08.2022	00000606036	Date of first issue: 13.02.2020

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

Environmental Protection and Management Act and Environmental Protection and Management (Hazardous Substances) Regulations : Not applicable

16. OTHER INFORMATION

Revision Date Date format	:	12.08.2022 dd.mm.yyyy
Full text of other abbreviati	ions	
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
SG OEL	:	Singapore. Workplace Safety and Health (General Provisions) Regulations - First Schedule Permissible Exposure Limits of Toxic Substances.
ACGIH / TWA	:	8-hour, time-weighted average
SG OEL / PEL (long term)	:	Permissible Exposure Level (PEL) Long Term
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
IATA	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi-



Sikagard[®]-720 EpoCem[®] (C)

Version	Revision Date: 12.08.2022	SDS Number:	Date of last issue: 13.02.2020
1.1		000000606036	Date of first issue: 13.02.2020
SVHC vPvB		cals (REACH), establishing : Substances of Very High C : Very persistent and very bi	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing. SG / EN