Davco Reno Grout 180



Version 2.0	Revision Date: 28.10.2022		SDS Number: 100000033948	Date of last issue: 02.09.2020 Date of first issue: 02.09.2020
1. PRODU	ICT AND COMPANY IDE	ENT	IFICATION	
Produ	uct name	:	Davco Reno Grout 180	
Manu	lfacturer or supplier's d	eta	ils	
Comp	bany	:	Sika (Singapore) Pte Ltd.	
			28 Tuas South Ave 8 637648 Singapore	
Telep	phone	:	+65 6861 0632	
Emer	gency telephone number	:	+65 6861 0632	
E-ma	il address	:	-	
Telefa	ax	:	+65 6862 3915	

2. HAZARDS IDENTIFICATION

GHS Classification		
Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 1
Skin sensitisation	:	Category 1
Specific target organ toxicity - single exposure	:	Category 3 (Respiratory system)
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation.
Precautionary statements	:	Prevention: P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling.

Davco Reno Grout 180



Version 2.0	Revision Date: 28.10.2022	SDS Number: 100000033948	Date of last issue: 02.09.2020 Date of first issue: 02.09.2020
		the workplace.	in a well-ventilated area. lothing should not be allowed out of es/ eye protection/ face protection.
		and keep comfortable for bi doctor if you feel unwell. P305 + P351 + P338 + P31 water for several minutes. F and easy to do. Continue rin CENTER/ doctor. P333 + P313 If skin irritation vice/ attention.	Wash with plenty of water. HALED: Remove person to fresh air reathing. Call a POISON CENTER/ 0 IF IN EYES: Rinse cautiously with Remove contact lenses, if present nsing. Immediately call a POISON n or rash occurs: Get medical ad- aminated clothing and wash it before
		Storage: P403 + P233 Store in a wel tightly closed.	I-ventilated place. Keep container
		Disposal: P501 Dispose of contents/ disposal plant.	container to an approved waste
II Other	hazards which do not	result in classification	

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Quartz (SiO2)	14808-60-7	>= 50 -< 70
Cement, portland, chemicals	65997-15-1	>= 30 -< 50

4. FIRST AID MEASURES

General advice	•	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.

Davco Reno Grout 180



Versi 2.0	ion	Revision Date: 28.10.2022		SDS Number: 100000033948	Date of last issue: 02.09.2020 Date of first issue: 02.09.2020	
	In case of eye contact		:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.		
	If swallowed		:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention.		
	Most important symptoms and effects, both acute and delayed		:	irritant effects sensitising effects Cough Respiratory disorder Allergic reactions Excessive lachrymation Dermatitis See Section 11 for more detailed information on health effects and symptoms. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation.		
	Notes to physician		:	Treat symptomatically.		
5. F	IREFIGHT	ING MEASURES				
	Suitable extinguishing media		:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.		
	Hazardou ucts	s combustion prod-	- : No hazardous combustion products are known		cts are known	
	Specific e ods	extinguishing meth-	:	Standard procedure for chemical	fires.	
	Special pr for firefigh	rotective equipment nters	ent : In the event of fire, wear self-contained breathing appa		tained breathing apparatus.	

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.
Environmental precautions	:	Do not flush into surface water or sanitary sewer system.

Davco Reno Grout 180



Versi 2.0	on Revision Date: 28.10.2022		SDS Number: 100000033948	Date of last issue: 02.09.2020 Date of first issue: 02.09.2020
Methods and materials for containment and cleaning up		:	Pick up and arrange dispos Keep in suitable, closed co	
7. H	ANDLING AND STORAGE			
	Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaus is formed.	st ventilation at places where dust
	Advice on safe handling	 Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or ma, allergies, chronic or recurrent respiratory disease s not be employed in any process in which this mixture is used. Smoking, eating and drinking should be prohibited in th plication area. Follow standard hygiene measures when handling cher products 		occupational exposure limits (see , or on clothing. e section 8. kin sensitisation problems or asth- current respiratory disease should becess in which this mixture is being ng should be prohibited in the ap-
	Conditions for safe storage	:	Store in original container. Keep in a well-ventilated pl Observe label precautions. Store in accordance with lo	
	Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored	and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Quartz (SiO2)	14808-60-7	PEL (long term) (Res- pirable dust)	0.1 mg/m3	SG OEL
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3	ACGIH
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH
		TWA (Res- pirable par-	0.025 mg/m3	ACGIH

Components with workplace control parameters



Davco Reno Grout 180

ersion Revision Date: 0 28.10.2022				Date of last issue: 02.09.2020 Date of first issue: 02.09.2020		
			ticulate mat- ter)			
			TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH	
Cemer	nt, portland, chemicals	65997-15-1	PEL (long term)	10 mg/m3	SG OEL	
			TWA (Res- pirable par- ticulate mat- ter)	1 mg/m3	ACGIH	
Perso	nal protective equipme	ent				
		that exposur The filter clas imum expect (gas/vapour/ dling the pro	es are within reco ss for the respirat ed contaminant of aerosol/particulat	tes) that may arise entration is exceede	re guidelines. e for the max- when han-	
Hand p	protection	approved sta	approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec-			
Eye pr	otection		Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary.			
Skin a	nd body protection	tration and a	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.			
Hygier	ne measures	practice. When using When using	Handle in accordance with good industrial hygiene and safety			

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: powder
Colour	: grey
Odour	: No data available
Odour Threshold	: No data available
рН	: No data available

Davco Reno Grout 180



Melting point/range / Freezing	:		
point		No data available	
Boiling point/boiling range	:	No data available	
Flash point	:	> 101 °C (214 °F) (Method: closed cup)	
Evaporation rate	:	No data available	
Flammability (solid, gas)	:	No data available	
Upper explosion limit / Upper flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Vapour pressure	:	No data available	
Relative vapour density	:	No data available	
Density	:	Not applicable	
Solubility(ies) Water solubility	:	No data available	
Solubility in other solvents	:	No data available	
Partition coefficient: n-	:	No data available	
octanol/water Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
Viscosity Viscosity, dynamic	:	Not applicable	
Viscosity, kinematic	:	No data available	
Explosive properties	:	No data available	
Oxidizing properties	:	No data available	

10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	No hazards to be specially mentioned.

Davco Reno Grout 180



Incompa 11. TOXICOI Acute to Not class	atible materials LOGICAL INFORMA sified based on avail rrosion/irritation skin irritation.	: No c	lata available lata available	
11. TOXICOI Acute to Not clas	LOGICAL INFORMA oxicity sified based on avail rrosion/irritation	TION		
Acute to Not clas	oxicity sified based on avail rrosion/irritation		ation	
Not clas	sified based on avail rrosion/irritation	able inform	ation	
				
	e ye damage/eye ir serious eye damage			
Respira	tory or skin sensiti	sation		
	nsitisation ise an allergic skin re	eaction.		
•	tory sensitisation sified based on avail	able inform	ation.	
	ell mutagenicity sified based on avail	able inform	ation.	
	genicity sified based on avail	able inform	ation.	
-	uctive toxicity sified based on avail	able inform	ation.	
	single exposure ise respiratory irritati	on.		
	repeated exposure sified based on avail	able inform	ation.	
-	i on toxicity sified based on avail	able inform	ation.	
12. ECOLOG	GICAL INFORMATIC	N		
Ecotoxi No data	city available			
Persiste	available ence and degradab available	lity		

Bioaccumulative potential No data available

Davco Reno Grout 180



Version 2.0	Revision Date: 28.10.2022		SDS Number: 100000033948	Date of last issue: 02.09.2020 Date of first issue: 02.09.2020
Mobil	ity in soil			
No da	ta available			
Other	adverse effects			
<u>Produ</u>	<u>ict:</u>			
Additi matio	-	:	There is no data available for	or this product.
13. DISPO	SAL CONSIDERATIO	NS		
Dispo	osal methods			
Waste	e from residues	:	Do not contaminate ponds, cal or used container. Send to a licensed waste m	waterways or ditches with chemi- anagement company.
Conta	minated packaging	:	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.	

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UNRIDG		
UN number or ID number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
IATA-DGR		
UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo aircraft)	:	Not applicable
Packing instruction (passen- ger aircraft)	:	Not applicable
IMDG-Code		
UN number or ID number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	÷	Not applicable
Packing group	:	Not applicable
Labels		Not applicable
EmS Code	÷	Not applicable
	-	

Davco Reno Grout 180



/ersion 2.0	Revision Date: 28.10.2022	SDS Number: 100000033948	Date of last issue: 02.09.2020 Date of first issue: 02.09.2020
Marin	e pollutant	: Not applicable	
	sport in bulk accordin pplicable for product as	ng to Annex II of MARPOL 73/7 s supplied.	8 and the IBC Code
Spec	ial precautions for us	er	
Not a	pplicable		
,	pplicable	ON	
15. REGU	LATORY INFORMATI		specific for the substance or mixture
15. REGU Safet Work lation	LATORY INFORMATI y, health and environ place Safety and Hea	mental regulations/legislation	specific for the substance or mixture and Health (General Provisions) Regu- PEL and other requirements in the

16. OTHER INFORMATION

Revision Date Date format	:	28.10.2022 dd.mm.yyyy			
Full text of other abbreviations					
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)			
SG OEL	:	Singapore. Workplace Safety and Health (General Provisions) Regulations - First Schedule Permissible Exposure Limits of Toxic Substances.			
ACGIH / TWA	:	8-hour, time-weighted average			
SG OEL / PEL (long term)	:	Permissible Exposure Level (PEL) Long Term			
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road			
CAS	:	Chemical Abstracts Service			
DNEL	:	Derived no-effect level			
EC50	:	Half maximal effective concentration			
GHS	:	Globally Harmonized System			
ΙΑΤΑ	:	International Air Transport Association			
IMDG	:	International Maritime Code for Dangerous Goods			
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)			
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)			
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978			
OEL	:	Occupational Exposure Limit			
PBT	:	Persistent, bioaccumulative and toxic			
PNEC	:	Predicted no effect concentration			
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament			

Davco Reno Grout 180



Version 2.0	Revision Date: 28.10.2022	SDS Number: 100000033948	Date of last issue: 02.09.2020 Date of first issue: 02.09.2020
SVHC vPvB		istration, Evaluation, Auth	
			onds to our level of knowledge at the

time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing. SG / EN