Davco Masonry Coarse Plaster ECO



Version Revision Date: SDS Number: 1.1 28.10.2022 100000035647	Date of last issue: 09.12.2020 Date of first issue: 09.12.2020
--	---

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Davco Masonry Coarse Plaster ECO

Manufacturer or supplier's details

Company	:	Sika (Singapore) Pte Ltd.
		28 Tuas South Ave 8 637648 Singapore
Telephone	:	+65 6861 0632
Emergency telephone number	:	+65 6861 0632
E-mail address	:	-
Telefax	:	+65 6862 3915

2. HAZARDS IDENTIFICATION

GHS Classification Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 1
Skin sensitisation	:	Category 1
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage.
Precautionary statements	:	Prevention: P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/ eye protection/ face protection.
		Response:

Davco Masonry Coarse Plaster ECO



Version 1.1	Revision Date: 28.10.2022	SDS Number: 100000035647	Date of last issue: 09.12.2020 Date of first issue: 09.12.2020
		water for several minutes. and easy to do. Continue ri CENTER/ doctor. P333 + P313 If skin irritatio vice/ attention.	Wash with plenty of water. 10 IF IN EYES: Rinse cautiously with Remove contact lenses, if present insing. Immediately call a POISON on or rash occurs: Get medical ad- caminated clothing and wash it before
		Disposal: P501 Dispose of contents/ disposal plant.	container to an approved waste
Other	hazards which do not	result in classification	

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
---------------------	---	---------

Components

Chemical name	CAS-No.	Concentration (% w/w)
Quartz (SiO2)	14808-60-7	>= 70 -< 90
Cement, portland, chemicals	65997-15-1	>= 10 -< 20

4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention.
		2/0

Davco Masonry Coarse Plaster ECO



/ersion I.1	Revision Date: 28.10.2022		SDS Number: 100000035647	Date of last issue: 09.12.2020 Date of first issue: 09.12.2020
	important symptoms ffects, both acute and ed	:	irritant effects sensitising effects Allergic reactions Excessive lachrymation Dermatitis See Section 11 for more deta and symptoms. Causes skin irritation. May cause an allergic skin re Causes serious eye damage	
Notes	to physician	:	Treat symptomatically.	
5. FIREFIC	GHTING MEASURES			
	DIE extinguishing media	:	Use extinguishing measures cumstances and the surroun	that are appropriate to local cir- ding environment.
Suital			cumstances and the surroun	ding environment.
Suital Hazai ucts	ble extinguishing media		cumstances and the surroun	ding environment. roducts are known

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.
Environmental precautions	:	Do not flush into surface water or sanitary sewer system.
Methods and materials for containment and cleaning up	:	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Advice on safe handling	:	Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8.



Version 1.1	Revision Date: 28.10.2022		SDS Number: 100000035647	Date of last issue: 09.12.2020 Date of first issue: 09.12.2020
			ma, allergies, chronic or rec not be employed in any proc used. Smoking, eating and drinkin plication area.	in sensitisation problems or asth- urrent respiratory disease should cess in which this mixture is being g should be prohibited in the ap- easures when handling chemical
Cond	itions for safe storage	:	Keep container tightly closed place. Store in accordance with loc	d in a dry and well-ventilated cal regulations.
	er information on stor- tability	:	Keep in a dry place. No decomposition if stored a	and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Quartz (SiO2)	14808-60-7	PEL (long term) (Res- pirable dust)	0.1 mg/m3	SG OEL
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3	ACGIH
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3	ACGIH
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH
Cement, portland, chemicals	65997-15-1	PEL (long term)	10 mg/m3	SG OEL
		TWA (Res- pirable par- ticulate mat- ter)	1 mg/m3	ACGIH

Personal protective equipment

Respiratory protection

: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.



Version 1.1	Revision Date: 28.10.2022		SDS Number: 100000035647	Date of last issue: 09.12.2020 Date of first issue: 09.12.2020
			imum expected contaminant	ates) that may arise when han- centration is exceeded, self-
Hand	protection	:		us gloves complying with an e worn at all times when handling ssessment indicates this is nec-
Eye p	rotection	:		ith an approved standard should nent indicates this is necessary.
Skin a	and body protection	:		elation to its type, to the concen- rous substances, and to the spe-
Hygie	ne measures	:	Handle in accordance with g practice. When using do not eat or dri When using do not smoke. Wash hands before breaks a	

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	grey
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	No data available
Melting point/range / Freezin	ig :	No data available
point Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Uppe flammability limit	r:	No data available
Lower explosion limit / Lowe flammability limit	r:	No data available

Davco Masonry Coarse Plaster ECO



Versi 1.1	on Revision Date: 28.10.2022		SDS Number: 100000035647	Date of last issue: 09.12.2020 Date of first issue: 09.12.2020
	Vapour pressure	:	No data available	
	Relative vapour density	:	No data available	
	Density	:	Not applicable	
	Solubility(ies) Water solubility Solubility in other solvents Partition coefficient: n- octanol/water Auto-ignition temperature	::	No data available No data available No data available No data available	
	Decomposition temperature	:	No data available	
	Viscosity Viscosity, dynamic Viscosity, kinematic	:	Not applicable No data available	
	Explosive properties	:	No data available	
	Oxidizing properties	:	No data available	

10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	No hazards to be specially mentioned.
Conditions to avoid	:	No data available
Incompatible materials	:	No data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Davco Masonry Coarse Plaster ECO



Version 1.1	Revision Date: 28.10.2022	SDS Number: 100000035647	Date of last issue: 09.12.2020 Date of first issue: 09.12.2020
Resp	piratory or skin sensitisat	ion	
-	sensitisation cause an allergic skin reac	tion.	
•	piratory sensitisation classified based on availabl	e information.	
	n cell mutagenicity classified based on availabl	e information.	
	:inogenicity classified based on availabl	e information.	
-	roductive toxicity classified based on availabl	e information.	
	T - single exposure classified based on availabl	e information.	
	T - repeated exposure classified based on availabl	e information.	
-	iration toxicity classified based on availabl	e information.	
12. ECOL	OGICAL INFORMATION		
	t oxicity lata available		
	sistence and degradability lata available	,	
	accumulative potential lata available		
	ility in soil lata available		
Othe	er adverse effects		
<u>Prod</u> Addi matio	tional ecological infor-	There is no data available f	or this product.
13. DISPO	OSAL CONSIDERATIONS		
Disp	osal methods		
-	te from residues	Do not contaminate ponds, cal or used container. Send to a licensed waste m	waterways or ditches with chemi- nanagement company.



/ersion I.1	Revision Date: 28.10.2022	SDS Number: 100000035647	Date of last issue: 09.12.2020 Date of first issue: 09.12.2020
		Dispose of as unused product Do not re-use empty contained	
14. TRANS	SPORT INFORMATION		
Intern	ational Regulations		
Prope Class Subsid	imber or ID number r shipping name diary risk ng group	 Not applicable 	
IATA- UN/ID Prope Class Subsid Packin Labels Packin aircraf	DGR No. r shipping name diary risk ng group s ng instruction (cargo ft) ng instruction (passen-	 Not applicable 	
IMDG UN nu Prope Class Subsid Packin Labels EmS 0	-Code Imber or ID number r shipping name diary risk ng group	 Not applicable 	

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

Environmental Protection and Management Act and : Not applicable Environmental Protection and Management (Hazardous Substances) Regulations



Version	Revision Date:	SDS Number:	Date of last issue: 09.12.2020
1.1	28.10.2022	10000035647	Date of first issue: 09.12.2020

OTHER INFORMATION	
Revision Date	: 28.10.2022
Date format	: dd.mm.yyyy
Full text of other abbreviat	ions
ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
SG OEL	 Singapore. Workplace Safety and Health (General Provisions) Regulations - First Schedule Permissible Exposure Limits of Toxic Substances.
ACGIH / TWA	: 8-hour, time-weighted average
SG OEL / PEL (long term)	: Permissible Exposure Level (PEL) Long Term
ADR ,	: European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	: Chemical Abstracts Service
DNEL	: Derived no-effect level
EC50	: Half maximal effective concentration
GHS	: Globally Harmonized System
ΙΑΤΑ	: International Air Transport Association
IMDG	: International Maritime Code for Dangerous Goods
LD50	: Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	: Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	: International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	: Occupational Exposure Limit
PBT	: Persistent, bioaccumulative and toxic
PNEC	: Predicted no effect concentration
REACH	: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC	: Substances of Very High Concern
vPvB	: Very persistent and very bioaccumulative

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing. SG / EN