Davco Grout 380 Eco



Version 2.0	Revision Date: 28.10.2022	SDS Number: 100000033948	Date of last issue: 02.09.2020 Date of first issue: 02.09.2020
1. PRODU	CT AND COMPANY IDE	ITIFICATION	
Produ	ict name	Davco Grout 380 Eco	
Manu	facturer or supplier's de	ails	

Company	:	Sika (Singapore) Pte Ltd.
		28 Tuas South Ave 8 637648 Singapore
Telephone	:	+65 6861 0632
Emergency telephone number	:	+65 6861 0632
E-mail address	:	-
Telefax	:	+65 6862 3915

2. HAZARDS IDENTIFICATION

GHS Classification		
Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 1
Skin sensitisation	:	Category 1
Specific target organ toxicity - single exposure	:	Category 3 (Respiratory system)
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation.
Precautionary statements	:	Prevention: P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling.

Davco Grout 380 Eco



Version 2.0	Revision Date: 28.10.2022	SDS Number: 100000033948	Date of last issue: 02.09.2020 Date of first issue: 02.09.2020
		the workplace.	in a well-ventilated area. lothing should not be allowed out of es/ eye protection/ face protection.
		and keep comfortable for b doctor if you feel unwell. P305 + P351 + P338 + P31 water for several minutes. F and easy to do. Continue ri CENTER/ doctor. P333 + P313 If skin irritatio vice/ attention.	Wash with plenty of water. HALED: Remove person to fresh air reathing. Call a POISON CENTER/ IO IF IN EYES: Rinse cautiously with Remove contact lenses, if present nsing. Immediately call a POISON n or rash occurs: Get medical ad- aminated clothing and wash it before
		Storage: P403 + P233 Store in a we tightly closed.	II-ventilated place. Keep container
		Disposal: P501 Dispose of contents/ disposal plant.	container to an approved waste
II Other	hazards which do not	result in classification	

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Quartz (SiO2)	14808-60-7	>= 50 -< 70
Cement, portland, chemicals	65997-15-1	>= 30 -< 50

4. FIRST AID MEASURES

General advice	•	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.

Davco Grout 380 Eco



Versio 2.0	on Revision Date: 28.10.2022		SDS Number: 100000033948	Date of last issue: 02.09.2020 Date of first issue: 02.09.2020
	In case of eye contact	:	Small amounts splashed into eyes sue damage and blindness. In the case of contact with eyes, ri of water and seek medical advice. Continue rinsing eyes during trans Remove contact lenses. Keep eye wide open while rinsing.	inse immediately with plenty sport to hospital.
	If swallowed		Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention.	
	Most important symptoms and effects, both acute and delayed		irritant effects sensitising effects Cough Respiratory disorder Allergic reactions Excessive lachrymation Dermatitis See Section 11 for more detailed is and symptoms. Causes skin irritation. May cause an allergic skin reaction Causes serious eye damage. May cause respiratory irritation.	
	Notes to physician		Treat symptomatically.	
5. FI	REFIGHTING MEASURES			
	Suitable extinguishing media		Use extinguishing measures that a cumstances and the surrounding e	
	Hazardous combustion prod- ucts	:	No hazardous combustion produc	ts are known
	Specific extinguishing meth- ods	:	Standard procedure for chemical f	ïres.
	Special protective equipment for firefighters		In the event of fire, wear self-conta	ained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.
Environmental precautions	:	Do not flush into surface water or sanitary sewer system.

Davco Grout 380 Eco



Versio 2.0	n Revision Date: 28.10.2022		SDS Number: 100000033948	Date of last issue: 02.09.2020 Date of first issue: 02.09.2020
Methods and materials for containment and cleaning up		:	Pick up and arrange disposa Keep in suitable, closed con	
7. HA	NDLING AND STORAGE			
	Advice on protection against ire and explosion	:	Avoid dust formation. Provide appropriate exhaust is formed.	ventilation at places where dust
ļ	Advice on safe handling	:	section 8). Do not get in eyes, on skin, of For personal protection see Persons with a history of skin ma, allergies, chronic or reco not be employed in any proc used. Smoking, eating and drinking plication area.	ccupational exposure limits (see or on clothing.
(Conditions for safe storage	:	Store in original container. Keep in a well-ventilated pla Observe label precautions. Store in accordance with loc	
	Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored a	and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of	Control parame- ters / Permissible	Basis
		exposure)	concentration	
Quartz (SiO2)	14808-60-7	PEL (long term) (Res- pirable dust)	0.1 mg/m3	SG OEL
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3	ACGIH
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH
		TWA (Res- pirable par-	0.025 mg/m3	ACGIH

Components with workplace control parameters



Davco Grout 380 Eco

Versio 2.0	on Revision Date 28.10.2022		Number: 00033948		ssue: 02.09.2020 issue: 02.09.2020
			ticulate mat- ter)		
			TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH
	Cement, portland, chem	nicals 65997-15-7	I PEL (long term)	10 mg/m3	SG OEL
			TWÁ (Res- pirable par- ticulate mat- ter)	1 mg/m3	ACGIH
	Personal protective ed	quipment			
	Respiratory protection	ventilation that expose The filter of imum exp (gas/vapo dling the p	is provided or exp sures are within rec class for the respira ected contaminant ur/aerosol/particula	ites) that may arise entration is exceed	demonstrates ire guidelines. e for the max- when han-
	Hand protection	approved	standard should be	us gloves complyin worn at all times v sessment indicates	when handling
	Eye protection			ith an approved sta nent indicates this i	

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.	Hygiene measures	When using do not smoke.
---	------------------	--------------------------

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: powder
Colour	: grey
Odour	: No data available
Odour Threshold	: No data available
рН	: No data available

Davco Grout 380 Eco



VersionRevision Date:2.028.10.2022		SDS Number: 100000033948	Date of last issue: 02.09.2020 Date of first issue: 02.09.2020
Melting point/range / Freezing	:	No data available	
point Boiling point/boiling range	:	No data available	
Flash point	:	> 101 °C (214 °F) (Method: closed cup)	
Evaporation rate	:	No data available	
Flammability (solid, gas)	:	No data available	
Upper explosion limit / Upper flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Vapour pressure	:	No data available	
Relative vapour density	:	No data available	
Density	:	Not applicable	
Solubility(ies) Water solubility	:	No data available	
Solubility in other solvents	:	No data available	
Partition coefficient: n- octanol/water	:	No data available	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
Viscosity Viscosity, dynamic	:	Not applicable	
Viscosity, kinematic	:	No data available	
Explosive properties	:	No data available	
Oxidizing properties	:	No data available	

10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	No hazards to be specially mentioned.

Davco Grout 380 Eco



Version 2.0	Revision Date: 28.10.2022	SDS Number: 100000033948	Date of last issue: 02.09.2020 Date of first issue: 02.09.2020
Condi	tions to avoid	: No data available	
	patible materials	: No data available	
	F		
11. TOXIC	OLOGICAL INFORMA	TION	
	e toxicity assified based on avai	able information.	
	corrosion/irritation es skin irritation.		
	us eye damage/eye ir es serious eye damage		
Respi	iratory or skin sensiti	sation	
-	sensitisation ause an allergic skin re	eaction.	
-	iratory sensitisation assified based on avai	able information.	
	cell mutagenicity assified based on avai	able information.	
	nogenicity assified based on avai	able information.	
-	oductive toxicity assified based on avai	able information.	
	• single exposure ause respiratory irritati	on.	
	• repeated exposure assified based on avai	able information.	
-	ation toxicity assified based on avai	able information.	
12. ECOL	OGICAL INFORMATIC)N	
Ecoto	oxicity		
	ta available		
	stence and degradab ta available	ility	
	-		

Bioaccumulative potential No data available

Davco Grout 380 Eco



Version 2.0	Revision Date: 28.10.2022		SDS Number: 100000033948	Date of last issue: 02.09.2020 Date of first issue: 02.09.2020
Mobi	lity in soil			
No da	ata available			
Othe	r adverse effects			
<u>Prode</u> Additi matio	ional ecological infor-	:	There is no data available for thi	s product.
13. DISPC	SAL CONSIDERATION	٧S		
Dispo	osal methods			
Waste	e from residues	:	Do not contaminate ponds, wate cal or used container. Send to a licensed waste manag	
Conta	aminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.	

14. TRANSPORT INFORMATION

International Regulations

UNRTD	G
-------	---

UNRIDG		
UN number or ID number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
IATA-DGR		
UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo aircraft)	:	Not applicable
Packing instruction (passen- ger aircraft)	:	Not applicable
IMDG-Code		
UN number or ID number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	÷	Not applicable

Davco Grout 380 Eco



Version	Revision Date: 28.10.2022	SDS Number:	Date of last issue: 02.09.2020
2.0		100000033948	Date of first issue: 02.09.2020

Marine pollutant : Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

: Not applicable

Environmental Protection and Management Act and Environmental Protection and Management (Hazardous Substances) Regulations

16. OTHER INFORMATION

Revision Date Date format	:	28.10.2022 dd.mm.yyyy
Full text of other abbreviation	ons	
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
SG OEL	:	Singapore. Workplace Safety and Health (General Provisions) Regulations - First Schedule Permissible Exposure Limits of Toxic Substances.
ACGIH / TWA	:	8-hour, time-weighted average
SG OEL / PEL (long term)	:	Permissible Exposure Level (PEL) Long Term
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit
PBT	:	Persistent, bioaccumulative and toxic
PNEC	:	Predicted no effect concentration
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament

Davco Grout 380 Eco



Version 2.0	Revision Date: 28.10.2022	SDS Number: 100000033948	Date of last issue: 02.09.2020 Date of first issue: 02.09.2020
SVHC		istration, Evaluation, Author cals (REACH), establishing : Substances of Very High C	
vPvB		: Very persistent and very bio	paccumulative
		this Safety Data Sheet correspor	nds to our level of knowledge at the

time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing. SG / EN