Davco K10 Dampflex



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	27.05.2022	10000033695	Date of first issue: 27.05.2022

1. PRODUCT AND COMPANY IDENTIFICATION

Product name	E Davco K10 Dampflex
Product code	: 100000033695
Manufacturer or supplier's of	details
Company	: Sika (Singapore) Pte Ltd.
Telephone Telefax E-mail address Emergency telephone num- ber	28 Tuas South Ave 8 637648 Singapore : +65 6861 0632 : +65 6862 3915 : - : +65 6861 0632

2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
2-ethylhexyl acrylate	103-11-7	>= 0.1 -< 1
2-methyl-2H-isothiazol-3-one (MIT)	2682-20-4	>= 0.025 -< 0.1

4. FIRST AID MEASURES

General advice	:	No hazards which require special first aid measures.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Keep eye wide open while rinsing.

Davco K10 Dampflex



ersion .0	Revision Date: 27.05.2022		SDS Number: 100000033695	Date of last issue: - Date of first issue: 27.05.2022
lf swal	lowed	:	Do not give milk or alcoholic	drink afterwards plenty of water. beverages. th to an unconscious person.
	mportant symptoms fects, both acute and d	:	No known significant effects See Section 11 for more det and symptoms.	or hazards. ailed information on health effects
Notes	to physician	:	Treat symptomatically.	
5. FIREFIG	HTING MEASURES			
Suitab	le extinguishing media	:	Use extinguishing measures cumstances and the surroun	that are appropriate to local cir- nding environment.
Hazaro ucts	dous combustion prod-	:	No hazardous combustion p	roducts are known
Specif ods	ic extinguishing meth-	:	Standard procedure for cher	nical fires.
ous				
Specia	al protective equipment fighters	:	In the event of fire, wear self	f-contained breathing apparatus.
Specia for fire				f-contained breathing apparatus.
Specia for fire 5. ACCIDE Persor tive eq	fighters	SUF		
Specia for fire 6. ACCIDE Persor tive eq gency	fighters NTAL RELEASE MEAS nal precautions, protec- juipment and emer-	SUF	RES	section 8.
Specia for fire 5. ACCIDE Persor tive eq gency Enviro Metho	fighters NTAL RELEASE MEAS nal precautions, protec- juipment and emer- procedures	SUF	RES For personal protection see	section 8. ecautions required. erial (e.g. cloth, fleece).
Specia for fire 6. ACCIDE Persor tive eq gency Enviro Methor contain	fighters NTAL RELEASE MEAS hal precautions, protec- juipment and emer- procedures nmental precautions ds and materials for	SUF	RES For personal protection see No special environmental pro Wipe up with absorbent mat	section 8. ecautions required. erial (e.g. cloth, fleece).
Specia for fire 5. ACCIDE Persor tive eq gency Enviro Methor contain 7. HANDLI	fighters NTAL RELEASE MEAS hal precautions, protec- juipment and emer- procedures nmental precautions ds and materials for nment and cleaning up	SUF	RES For personal protection see No special environmental pro Wipe up with absorbent mat	section 8. ecautions required. erial (e.g. cloth, fleece). tainers for disposal.
Specia for fire 5. ACCIDE Persor tive eq gency Enviro Methor contain 7. HANDLI Advice fire and	fighters NTAL RELEASE MEAS nal precautions, protec- juipment and emer- procedures nmental precautions ds and materials for ment and cleaning up NG AND STORAGE e on protection against	SUF : :	RES For personal protection see No special environmental pro Wipe up with absorbent mat Keep in suitable, closed con Normal measures for prever For personal protection see No special handling advice r	section 8. ecautions required. erial (e.g. cloth, fleece). tainers for disposal. ntive fire protection. section 8.

Davco K10 Dampflex



Version 1.0	Revision Date: 27.05.2022	SDS Number: 100000033695	Date of last issue: - Date of first issue: 27.05.2022	
Mater	ials to avoid	: No special restrictions on s	storage with other products.	
8. EXPOS	URE CONTROLS/PEI	RSONAL PROTECTION		
Comp	onents with workpla	ce control parameters		
Conta	ins no substances wit	h occupational exposure limit valu	Jes.	
Perso	onal protective equip	ment		
Respiratory protection		: Use respiratory protection unless adequate local exhaus ventilation is provided or exposure assessment demonst that exposures are within recommended exposure guide The filter class for the respirator must be suitable for the imum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when ha dling the product. If this concentration is exceeded, self- contained breathing apparatus must be used.		
Hand	protection	: Chemical-resistant, imperv	vious gloves complying with an	

Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec- essary.
Eye protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary.
Skin and body protection	:	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe-

Hygiene measures	: When using do not eat or drink.	
	When using do not smoke.	

cific work-place.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	black
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	No data available
Melting point/range / Freezing	:	No data available
point Boiling point/boiling range	:	No data available
Flash point	:	> 101 °C (214 °F) (Method: closed cup)

Davco K10 Dampflex



Versi 1.0	on Revision Date: 27.05.2022		SDS Number: 100000033695	Date of last issue: - Date of first issue: 27.05.2022
	Evaporation rate	:	No data available	
	Flammability (solid, gas)	:	No data available	
	Upper explosion limit / Upper flammability limit	:	No data available	
	Lower explosion limit / Lower flammability limit	:	No data available	
	Vapour pressure	:	0.01 hPa	
	Relative vapour density	:	No data available	
	Density	:	ca. 1.45 g/cm3 (25 °C (77 °F))	
	Solubility(ies) Water solubility	:	No data available	
	Solubility in other solvents	:	No data available	
	Partition coefficient: n- octanol/water	:	No data available	
	Auto-ignition temperature	:	No data available	
	Decomposition temperature	:	No data available	
	Viscosity Viscosity, dynamic	:	> 3,000 mPa.s (ca. 23 °C (73 °F))
	Viscosity, kinematic	:	No data available	
	Explosive properties	:	No data available	
	Oxidizing properties	:	No data available	

10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	No hazards to be specially mentioned.
Conditions to avoid	:	No data available
Incompatible materials	:	No data available

Davco K10 Dampflex



Version 1.0	Revision Date: 27.05.2022	SDS Number: 100000033695	Date of last issue: - Date of first issue: 27.05.2022
11. TOXIC	OLOGICAL INFORMATIC	N .	
	e toxicity assified based on available	e information.	
2-ethy	oonents: ylhexyl acrylate: oral toxicity :	LD50 Oral (Rat): 4,435 mg/	kg
Skin d	corrosion/irritation		
Not cla	assified based on available	e information.	
	us eye damage/eye irritat assified based on available		
Respi	iratory or skin sensitisati	on	
	sensitisation assified based on available	e information.	
-	i ratory sensitisation assified based on available	e information.	
	cell mutagenicity assified based on available	e information.	
	nogenicity assified based on available	e information.	
-	oductive toxicity assified based on available	e information.	
	- single exposure assified based on available	e information.	
	- repeated exposure assified based on available	e information.	
-	ation toxicity assified based on available	e information.	
12. ECOLO	OGICAL INFORMATION		
Ecoto	oxicity		
	oonents:		
	ylhexyl acrylate: ty to fish :	LC50 (Oncorhynchus mykis	ss (rainbow trout)): 1.81 mg/l

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 1.81 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1.3 mg/l Exposure time: 48 h

Davco K10 Dampflex



ersion 0	Revision Date: 27.05.2022		SDS Number: 100000033695	Date of last issue: - Date of first issue: 27.05.2022
Toxicit plants	ty to algae/aquatic	:	ErC50 (Desmodesmus su Exposure time: 72 h	ubspicatus (green algae)): 1.71 mg/l
M-Fac	hyl-2H-isothiazol-3-o ctor (Acute aquatic tox-			
icity) M-Fac toxicity	ctor (Chronic aquatic y)	:	1	
	stence and degradab	ility		
	cumulative potential ta available			
	ity in soil ta available			
Other	adverse effects			
Produ	ict:			
	onal ecological infor-	:	There is no data available	e for this product.
Addition mation	onal ecological infor-		There is no data available	e for this product.
Addition mation 3. DISPO	SAL CONSIDERATIO		There is no data available	e for this product.
Additio matior 3. DISPO Dispo	onal ecological infor- า			be taken to an approved waste han-
Additio mation 3. DISPO Dispo Conta	SAL CONSIDERATIO	NS :	Empty containers should	be taken to an approved waste han-
Additio mation 3. DISPO Dispo Contar 4. TRANS	SAL CONSIDERATIO	NS :	Empty containers should	be taken to an approved waste han-
Additio matior 3. DISPO Dispo Contar 4. TRANS Intern UNRT	SPORT INFORMATIO	NS : N	Empty containers should dling site for recycling or o	be taken to an approved waste han-
Additio matior 3. DISPO Dispo Contar 4. TRANS Intern UNRT Not re IATA-	SPORT INFORMATION SAL CONSIDERATIO SAL CONSIDERATIO Sal methods minated packaging SPORT INFORMATION Sational Regulations DG gulated as a dangerou	NS : N	Empty containers should dling site for recycling or o	be taken to an approved waste han-
Additio mation 3. DISPO Dispo Conta 4. TRANS Intern UNRT Not re IATA- Not re IATA- Not re	SPORT INFORMATION ational Regulations DG gulated as a dangerou DGR gulated as a dangerou	NS : N s go	Empty containers should dling site for recycling or o	be taken to an approved waste han-

Safety, health and environmental regulations/legislation specific for the substance or mixture

Davco K10 Dampflex



Version	Revision Date: 27.05.2022	SDS Number:	Date of last issue: -
1.0		10000033695	Date of first issue: 27.05.2022
lation		• •	d Health (General Provisions) Regu- _ and other requirements in the

Environmental Protection and Management Act and Environmental Protection and Management (Hazardous Substances) Regulations

Not applicable

2

16. OTHER INFORMATION

Date format	:	dd.mm.yyyy				
Full text of other abbreviations						
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road				
CAS	:	Chemical Abstracts Service				
DNEL	:	Derived no-effect level				
EC50	:	Half maximal effective concentration				
GHS	:	Globally Harmonized System				
ΙΑΤΑ	:	International Air Transport Association				
IMDG	:	International Maritime Code for Dangerous Goods				
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)				
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)				
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978				
OEL	:	Occupational Exposure Limit				
PBT	:	Persistent, bioaccumulative and toxic				
PNEC	:	Predicted no effect concentration				
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency				
SVHC	:	Substances of Very High Concern				
vPvB	:	Very persistent and very bioaccumulative				

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing. SG / EN