Davco High Grade Grout ECO



|--|

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Davco High Grade Grout ECO

Manufacturer or supplier's d	letai	ils
Company	:	Sika (Singapore) Pte Ltd.

Company	•	Sika (Singapore) i te Et
		28 Tuas South Ave 8 637648 Singapore
Telephone	:	+65 6861 0632
Emergency telephone number	:	+65 6861 0632
E-mail address	:	-
Telefax	:	+65 6862 3915

2. HAZARDS IDENTIFICATION

GHS Classification		
Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 1
Skin sensitisation	:	Category 1
Specific target organ toxicity - single exposure	:	Category 3 (Respiratory system)
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation.
Precautionary statements	:	Prevention: P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling.



Version 2.0	Revision Date: 09.12.2022	SDS Number: 100000035761	Date of last issue: 09.12.2020 Date of first issue: 09.12.2020
		the workplace.	in a well-ventilated area. lothing should not be allowed out of es/ eye protection/ face protection.
		and keep comfortable for br doctor if you feel unwell. P305 + P351 + P338 + P31 water for several minutes. F and easy to do. Continue rin CENTER/ doctor. P333 + P313 If skin irritation vice/ attention.	Wash with plenty of water. HALED: Remove person to fresh air reathing. Call a POISON CENTER/ 0 IF IN EYES: Rinse cautiously with Remove contact lenses, if present nsing. Immediately call a POISON n or rash occurs: Get medical ad- aminated clothing and wash it before
		Storage: P403 + P233 Store in a wel tightly closed.	I-ventilated place. Keep container
		Disposal: P501 Dispose of contents/ o disposal plant.	container to an approved waste
II Other	hazards which do not	result in classification	

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Cement, portland, chemicals	65997-15-1	>= 50 -< 70
Quartz (SiO2)	14808-60-7	>= 30 -< 50

4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.

Davco High Grade Grout ECO



Vers 2.0	ion	Revision Date: 09.12.2022		SDS Number: 100000035761	Date of last issue: 09.12.2020 Date of first issue: 09.12.2020
	In case o	f eye contact	:	Small amounts splashed into eye sue damage and blindness. In the case of contact with eyes, of water and seek medical advice Continue rinsing eyes during tran Remove contact lenses. Keep eye wide open while rinsing	rinse immediately with plenty e. sport to hospital.
	If swallow	ved	:	Clean mouth with water and drin Do not give milk or alcoholic beve Never give anything by mouth to Obtain medical attention.	erages.
		ortant symptoms ts, both acute and	:	irritant effects sensitising effects Cough Respiratory disorder Allergic reactions Excessive lachrymation Dermatitis See Section 11 for more detailed and symptoms. Causes skin irritation. May cause an allergic skin reacti Causes serious eye damage. May cause respiratory irritation.	
	Notes to	physician	:	Treat symptomatically.	
5. F	IREFIGHT	ING MEASURES			
	Suitable	extinguishing media	:	Use extinguishing measures that cumstances and the surrounding	
	Hazardou ucts	us combustion prod-	:	No hazardous combustion produ	cts are known
	Specific e ods	extinguishing meth-	:	Standard procedure for chemical	fires.
	Special p for firefigl	rotective equipment hters	:	In the event of fire, wear self-con	tained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.
Environmental precautions	:	Do not flush into surface water or sanitary sewer system.

Davco High Grade Grout ECO



Versior 2.0	n Revision Date: 09.12.2022		SDS Number: 100000035761	Date of last issue: 09.12.2020 Date of first issue: 09.12.2020
	Nethods and materials for ontainment and cleaning up		Pick up and arrange disposa Geep in suitable, closed cont	
7. HA	NDLING AND STORAGE			
	dvice on protection against re and explosion	F	void dust formation. Provide appropriate exhaust s formed.	ventilation at places where dust
A	dvice on safe handling	F F F r r r F F F F F	ection 8). Do not get in eyes, on skin, of For personal protection see s Persons with a history of skin ha, allergies, chronic or recu- tot be employed in any proce- sed. Smoking, eating and drinking lication area.	ccupational exposure limits (see or on clothing.
C	Conditions for safe storage	ł	Store in original container. Keep in a well-ventilated plac Observe label precautions. Store in accordance with loca	
	urther information on stor- ge stability		leep in a dry place. Io decomposition if stored a	nd applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

	-			
Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Cement, portland, chemicals	65997-15-1	PEL (long term)	10 mg/m3	SG OEL
		TWA (Res- pirable par- ticulate mat- ter)	1 mg/m3	ACGIH
Quartz (SiO2)	14808-60-7	PEL (long term) (Res- pirable dust)	0.1 mg/m3	SG OEL
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3	ACGIH

Components with workplace control parameters



Version Revision Date: 2.0 09.12.2022			SDS Number: 100000035761		Date of last issue: 09.12.2020 Date of first issue: 09.12.2020	
			TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH	
			TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3	ACGIH	
			TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH	
Perso	nal protective equip	ment				
Keshi	ratory protection	:	Use respiratory protection u ventilation is provided or exp that exposures are within re The filter class for the respir imum expected contaminan (gas/vapour/aerosol/particul dling the product. If this con contained breathing apparate	coosure assessment d commended exposur ator must be suitable t concentration ates) that may arise v centration is exceede	emonstrates e guidelines. for the max- when han-	
Hand	protection	:	Chemical-resistant, impervious approved standard should be chemical products if a risk a essary.	e worn at all times wh	nen handling	
Eye pr	rotection	:	Safety eyewear complying v be used when a risk assess			
Skin a	nd body protection	:	Choose body protection in r tration and amount of dange cific work-place.			
Hygier	ne measures	:	Handle in accordance with g practice. When using do not eat or dr When using do not smoke. Wash hands before breaks	ink.		

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: powder	
Colour	: grey	
Odour	: No data avai	lable
Odour Threshold	: No data avai	lable
рН	: No data avai	lable

Davco High Grade Grout ECO



VersionRevision Date2.009.12.2022	:	SDS Number: 100000035761	Date of last issue: 09.12.2020 Date of first issue: 09.12.2020
Melting point/range / Fre point	ezing :	No data available	
Boiling point/boiling rang	e :	No data available	
Flash point	:	> 101 °C (> 214 °F) (Method: closed cup)	
Evaporation rate	:	No data available	
Flammability (solid, gas)	:	No data available	
Upper explosion limit / U flammability limit	pper :	No data available	
Lower explosion limit / Lo flammability limit	ower :	No data available	
Vapour pressure	:	No data available	
Relative vapour density	:	No data available	
Density	:	Not applicable	
Solubility(ies) Water solubility	:	No data available	
Solubility in other solv	vents :	No data available	
Partition coefficient: n-	:	No data available	
octanol/water Auto-ignition temperature	e :	No data available	
Decomposition temperat	ure :	No data available	
Viscosity Viscosity, dynamic	:	Not applicable	
Viscosity, kinematic	:	No data available	
Explosive properties	:	No data available	
Oxidizing properties	:	No data available	

10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	No hazards to be specially mentioned.

Davco High Grade Grout ECO



Version 2.0	Revision Date: 09.12.2022		SDS Number: 100000035761	Date of last issue: 09.12.2020 Date of first issue: 09.12.2020
Condi	tions to avoid	: No	o data available	
Incom	patible materials	: No	o data available	
11. TOXIC	OLOGICAL INFORM			
	toxicity assified based on ava	lable infor	mation.	
_	corrosion/irritation es skin irritation.			
	us eye damage/eye i es serious eye damag			
Respi	iratory or skin sensit	isation		
	sensitisation ause an allergic skin r	eaction.		
-	iratory sensitisation assified based on ava	lable infor	mation.	
	cell mutagenicity assified based on ava	lable infor	mation.	
	n ogenicity assified based on ava	lable infor	mation.	
-	oductive toxicity assified based on ava	lable infor	mation.	
	- single exposure ause respiratory irritat	ion.		
	- repeated exposure assified based on ava		mation.	
-	ation toxicity assified based on ava	lable infor	mation.	
12. ECOL0	OGICAL INFORMATI	ON		
	oxicity			
	ta available			
	stence and degradat ta available	ility		

Bioaccumulative potential No data available



Versio 2.0	on Revision Date: 09.12.2022		SDS Number: 100000035761	Date of last issue: 09.12.2020 Date of first issue: 09.12.2020
	Mobility in soil			
	No data available			
	Other adverse effects			
	<u>Product:</u> Additional ecological infor- mation	:	There is no data available for this	product.
13. C	DISPOSAL CONSIDERATION	NS		
	Disposal methods			
	Waste from residues	:	Do not contaminate ponds, water cal or used container. Send to a licensed waste manage	
	Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.	

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UNRIDG		
UN number or ID number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
IATA-DGR		
UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo aircraft)	:	Not applicable
Packing instruction (passen- ger aircraft)	:	Not applicable
IMDG-Code		
UN number or ID number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code		Not applicable
	-	

Davco High Grade Grout ECO



Version	Revision Date:	SDS Number:	Date of last issue: 09.12.2020
2.0	09.12.2022	100000035761	Date of first issue: 09.12.2020

Marine pollutant : Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

: Not applicable

Environmental Protection and Management Act and Environmental Protection and Management (Hazardous Substances) Regulations

16. OTHER INFORMATION

Revision Date Date format	:	09.12.2022 dd.mm.yyyy			
Full text of other abbreviations					
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)			
SG OEL	:	Singapore. Workplace Safety and Health (General Provisions) Regulations - First Schedule Permissible Exposure Limits of Toxic Substances.			
ACGIH / TWA	:	8-hour, time-weighted average			
SG OEL / PEL (long term)	:	Permissible Exposure Level (PEL) Long Term			
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road			
CAS	:	Chemical Abstracts Service			
DNEL	:	Derived no-effect level			
EC50	:	Half maximal effective concentration			
GHS	:	Globally Harmonized System			
IATA	:	International Air Transport Association			
IMDG	:	International Maritime Code for Dangerous Goods			
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)			
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)			
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978			
OEL	:	Occupational Exposure Limit			
PBT	:	Persistent, bioaccumulative and toxic			
PNEC	:	Predicted no effect concentration			
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament			



Version 2.0	Revision Date: 09.12.2022	SDS Number: 100000035761	Date of last issue: 09.12.2020 Date of first issue: 09.12.2020
SVHC vPvB		istration, Evaluation, A	•
The inf	formation contained in	this Safety Data Sheet corre	esponds to our level of knowledge at the

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing. SG / EN