Davco Reno Waterproof Screed



2.0 28.10.2022 100000035622 Date of first issue: 09.12.2020	Version 2.0	Revision Date: 28.10.2022	SDS Number: 100000035622	Date of last issue: 09.12.2020 Date of first issue: 09.12.2020
---	----------------	---------------------------	-----------------------------	---

1. PRODUCT AND COMPANY IDENTIFICATION

Product name

: Davco Reno Waterproof Screed

Manufacturer or supplier's details

Company	:	Sika (Singapore) Pte Ltd.
		28 Tuas South Ave 8 637648 Singapore
Telephone	:	+65 6861 0632
Emergency telephone number	:	+65 6861 0632
E-mail address	:	-
Telefax	:	+65 6862 3915

2. HAZARDS IDENTIFICATION

GHS Classification		
Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 1
Skin sensitisation	:	Category 1
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage.
Precautionary statements	:	Prevention:
		 P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/ eye protection/ face protection.
		Response:

Davco Reno Waterproof Screed



Version 2.0	Revision Date: 28.10.2022	SDS Number: 100000035622	Date of last issue: 09.12.2020 Date of first issue: 09.12.2020
		water for several minutes. and easy to do. Continue ri CENTER/ doctor. P333 + P313 If skin irritatic vice/ attention.	Wash with plenty of water. 10 IF IN EYES: Rinse cautiously with Remove contact lenses, if present insing. Immediately call a POISON on or rash occurs: Get medical ad- aminated clothing and wash it before
Other	kozordo wkich do pot	disposal plant.	container to an approved waste
Other	hazards which do not	result in classification	

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture :		Mixture
-----------------------	--	---------

Components

Chemical name	CAS-No.	Concentration (% w/w)
Quartz (SiO2)	14808-60-7	>= 70 -< 90
Cement, portland, chemicals	65997-15-1	>= 10 -< 20

4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention.
		2/9

Davco Reno Waterproof Screed



Versi 2.0	on Revision Date: 28.10.2022		SDS Number: 100000035622	Date of last issue: 09.12.2020 Date of first issue: 09.12.2020
	Most important symptoms and effects, both acute and delayed		irritant effects sensitising effects Allergic reactions Excessive lachrymation Dermatitis See Section 11 for more detailed information on health effect and symptoms. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage.	
	Notes to physician	:	Treat symptomatically.	
5. F	REFIGHTING MEASURES			
	Suitable extinguishing media	:	Use extinguishing measures cumstances and the surrour	s that are appropriate to local cir- nding environment.
	Hazardous combustion prod- ucts	:	No hazardous combustion p	products are known
	Specific extinguishing meth- ods	:	Standard procedure for cher	mical fires.
	Special protective equipment for firefighters	:	In the event of fire, wear self	f-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.
Environmental precautions	:	Do not flush into surface water or sanitary sewer system.
Methods and materials for containment and cleaning up	:	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Advice on safe handling	:	Do not breathe vapours/dust. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8.

Davco Reno Waterproof Screed



Version 2.0	Revision Date: 28.10.2022		SDS Number: 100000035622	Date of last issue: 09.12.2020 Date of first issue: 09.12.2020
			ma, allergies, chronic or recu not be employed in any proc used. Smoking, eating and drinking plication area.	n sensitisation problems or asth- urrent respiratory disease should ess in which this mixture is being g should be prohibited in the ap- asures when handling chemical
Cond	itions for safe storage	:	Keep container tightly closed place. Store in accordance with loc	·
	er information on stor- tability	:	Keep in a dry place. No decomposition if stored a	and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Quartz (SiO2)	14808-60-7	PEL (long term) (Res- pirable dust)	0.1 mg/m3	SG OEL
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3	ACGIH
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3	ACGIH
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH
Cement, portland, chemicals	65997-15-1	PEL (long term)	10 mg/m3	SG OEL
		TWA (Res- pirable par- ticulate mat- ter)	1 mg/m3	ACGIH

Personal protective equipment

Respiratory protection

: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Davco Reno Waterproof Screed



Version 2.0	Revision Date: 28.10.2022		SDS Number: 100000035622	Date of last issue: 09.12.2020 Date of first issue: 09.12.2020	
			imum expected contaminant	ates) that may arise when han- centration is exceeded, self-	
Hand	Hand protection		: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.		
Еуе р	rotection	:		vith an approved standard should ment indicates this is necessary.	
Skin a	and body protection	:		elation to its type, to the concen- rous substances, and to the spe-	
Hygie	ne measures	:	Handle in accordance with g practice. When using do not eat or dri When using do not smoke. Wash hands before breaks a		

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	grey
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	No data available
Melting point/range / Freezing	:	No data available
point Boiling point/boiling range	:	No data available
Flash point	:	> 101 °C (> 214 °F) (Method: closed cup)
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available

Davco Reno Waterproof Screed



ersion 0	Revision Date: 28.10.2022		SDS Number: 100000035622	Date of last issue: 09.12.2020 Date of first issue: 09.12.2020
Vapou	r pressure	:	No data available	
Relativ	ve vapour density	:	No data available	
Densit	у	:	Not applicable	
	lity(ies) ter solubility	:	No data available	
Sol	ubility in other solvents	:	No data available	
	on coefficient: n- I/water	:	No data available	
	gnition temperature	:	No data available	
Decom	nposition temperature	:	No data available	
Viscos Vis	ity cosity, dynamic	:	Not applicable	
Vis	cosity, kinematic	:	No data available	
Explos	sive properties	:	No data available	
Oxidizi	ing properties	:	No data available	

10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	Stable under recommended storage conditions.
Conditions to avoid	:	No data available
Incompatible materials	:	No data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Davco Reno Waterproof Screed



Version 2.0	Revision Date: 28.10.2022	SDS Number: 100000035622	Date of last issue: 09.12.2020 Date of first issue: 09.12.2020
Respi	iratory or skin sensitisa	ion	
Skin s	sensitisation		
May c	ause an allergic skin reac	tion.	
-	i ratory sensitisation assified based on availab	le information.	
	cell mutagenicity assified based on availab	le information.	
	nogenicity assified based on availab	le information.	
-	oductive toxicity assified based on availab	le information.	
	- single exposure assified based on availab	le information.	
	- repeated exposure assified based on availab	le information.	
-	ation toxicity assified based on availab	le information.	
12. ECOL(DGICAL INFORMATION		
	xicity ta available		
	stence and degradability ta available	/	
	cumulative potential ta available		
	ity in soil ta available		
Other	adverse effects		
<u>Produ</u> Additio mation	onal ecological infor-	: There is no data available f	for this product.
13. DISPO	SAL CONSIDERATIONS	;	
Diena	osal methods		
_	e from residues	: Do not contaminate ponds, cal or used container. Send to a licensed waste m	waterways or ditches with chemi- nanagement company.

Davco Reno Waterproof Screed



Version	Revision Date: 28.10.2022	SDS Number:	Date of last issue: 09.12.2020			
2.0		100000035622	Date of first issue: 09.12.2020			
Dispose of as upused product						

Dispose of as unused product. Do not re-use empty containers.

14. TRANSPORT INFORMATION

International Regulations

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

Environmental Protection and Management Act and : Not applicable Environmental Protection and Management (Hazardous Substances) Regulations

16. OTHER INFORMATION

Revision Date Date format	:	28.10.2022 dd.mm.yyyy
Full text of other abbreviatio	ns	
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
SG OEL	:	Singapore. Workplace Safety and Health (General Provisions)
		Regulations - First Schedule Permissible Exposure Limits of Toxic Substances.
ACGIH / TWA	•	8-hour, time-weighted average
SG OEL / PEL (long term)		Permissible Exposure Level (PEL) Long Term
ADR	:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at
		once, which causes the death of 50% (one half) of a group of
		test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in
		air that kills 50% of the test animals during the observation
		period)

Davco Reno Waterproof Screed



Version 2.0	Revision Date: 28.10.2022		issue: 09.12.2020 issue: 09.12.2020		
MARPOL		: International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978			
OEL		: Occupational Exposure Limit			
PBT		: Persistent, bioaccumulative and toxic			
PNEC		: Predicted no effect concentration			
REACH		: Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency			
SVHC		Substances of Very High Concern			
vPvB		: Very persistent and very bioaccumulative			

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing. SG / EN