Revision Date:

Emergency telephone number : +65 6861 0632

# SikaGrout®-220

Telephone

Telefax

E-mail address

Version



Date of last issue: -

1.0	04.01.2023	00000604604	Date of first issue: 04.01.2023
1. PRODU	ICT AND COMPANY IDE	ENTIFICATION	
Produ	uct name	: SikaGrout <sup>®</sup> -220	
Manu	lfacturer or supplier's d	etails	
Comp	bany	: Sika (Singapore) Pte Ltd.	
		28 Tuas South Ave 8 637648 Singapore	

: +65 6861 0632

: +65 6862 3915

: -

SDS Number:

# 2. HAZARDS IDENTIFICATION

GHS Classification Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 1
Specific target organ toxicity - single exposure	:	Category 3 (Respiratory system)
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation.
Precautionary statements	:	Prevention: P261 Avoid breathing dust. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/ eye protection/ face protection.
		Response:

# SikaGrout<sup>®</sup>-220



Version 1.0	Revision Date: 04.01.2023	SDS Number: 000000604604	Date of last issue: - Date of first issue: 04.01.2023
		and keep comfortable for br doctor if you feel unwell. P305 + P351 + P338 + P31 water for several minutes. F and easy to do. Continue rin CENTER/ doctor. P332 + P313 If skin irritation tion.	Wash with plenty of water. HALED: Remove person to fresh air reathing. Call a POISON CENTER/ 0 IF IN EYES: Rinse cautiously with Remove contact lenses, if present nsing. Immediately call a POISON n occurs: Get medical advice/ atten- aminated clothing and wash it before
		<b>Storage:</b> P403 + P233 Store in a wel tightly closed.	II-ventilated place. Keep container
		<b>Disposal:</b> P501 Dispose of contents/ o disposal plant.	container to an approved waste

#### Other hazards which do not result in classification

None known.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Cement (chromium reduced)	65997-15-1	>= 30 -< 50
Quartz (SiO2)	14808-60-7	>= 20 -< 30
Fumes, silica	69012-64-2	>= 1 -< 10
calcium sulfate	7778-18-9	>= 1 -< 10

#### 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty
		2/10

# SikaGrout®-220



Versio 1.0	on Revision Date: 04.01.2023		SDS Number: 000000604604	Date of last issue: - Date of first issue: 04.01.2023
			of water and seek medical advice. Continue rinsing eyes during trans Remove contact lenses. Keep eye wide open while rinsing.	sport to hospital.
	If swallowed	:	Clean mouth with water and drink Do not give milk or alcoholic beve Never give anything by mouth to a Obtain medical attention.	rages.
;	Most important symptoms and effects, both acute and delayed	:	irritant effects Cough Respiratory disorder Excessive lachrymation Dermatitis See Section 11 for more detailed i and symptoms. Causes skin irritation. Causes serious eye damage. May cause respiratory irritation.	information on health effects
	Notes to physician	:	Treat symptomatically.	
5. FI	REFIGHTING MEASURES			
:	Suitable extinguishing media	:	Use extinguishing measures that a cumstances and the surrounding e	
	Hazardous combustion prod- ucts	:	No hazardous combustion produc	ts are known

Specific extinguishing meth-	:	Standard procedure for chemical fires.
ods		

Special protective equipment : In the event of fire, wear self-contained breathing apparatus. for firefighters

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Deny access to unprotected persons.
Environmental precautions	:	Try to prevent the material from entering drains or water courses. No special environmental precautions required.
Methods and materials for containment and cleaning up	:	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

# SikaGrout<sup>®</sup>-220



Version 1.0	Revision Date: 04.01.2023		SDS Number: 000000604604	Date of last issue: - Date of first issue: 04.01.2023
7. HAND	LING AND STORAGE			
	ice on protection against and explosion	:	Normal measures for preve	ntive fire protection.
Adv	ice on safe handling	:	Avoid exceeding the given of section 8). Do not get in eyes, on skin, For personal protection see Smoking, eating and drinkin plication area.	occupational exposure limits (see or on clothing.
Con	ditions for safe storage	:	Store in original container. Keep in a well-ventilated pla Observe label precautions. Store in accordance with log	

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Cement (chromium reduced)	65997-15-1	PEL (long term)	10 mg/m3	SG OEL
		TWA (Res- pirable par- ticulate mat- ter)	1 mg/m3	ACGIH
Quartz (SiO2)	14808-60-7	PEL (long term) (Res- pirable dust)	0.1 mg/m3	SG OEL
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3	ACGIH
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3	ACGIH
		TWA (Res- pirable par- ticulate mat-	0.025 mg/m3 (Silica)	ACGIH

# SikaGrout<sup>®</sup>-220



Version 1.0			SDS Nun 0000006		Date of last issue: - Date of first issue: 04.01.2023		
				ter)			
Fume	es, silica		69012-64-2	PEL (long term) (Res- pirable dust)	2 mg/m3	SG OEL	
calciu	ım sulfate		7778-18-9	PEL (long term)	10 mg/m3	SG OEL	
				TWA (Inhal- able particu- late matter)	10 mg/m3 (Calcium)	ACGIH	
Perso	onal protective equipr	nent					
Resp	Respiratory protection: Use respiratory protection unless adequate local exponentiation is provided or exposure assessment der that exposures are within recommended exposure The filter class for the respirator must be suitable for imum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise why dling the product. If this concentration is exceeded, contained breathing apparatus must be used.				lemonstrates e guidelines. for the max- when han-		
Hand	protection	<ul> <li>Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when han chemical products if a risk assessment indicates this is n essary.</li> </ul>			hen handling		
Eye p	protection	:			th an approved star ent indicates this is		
Skin a	and body protection	:		nount of danger	ation to its type, to to bus substances, an		
Hygie	ene measures	:	practice. When using d When using d	o not eat or drin o not smoke.	od industrial hygier k. nd at the end of wor		

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	solid
Colour	:	grey
Odour	:	odourless
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/range / Freezing point	:	No data available

# SikaGrout<sup>®</sup>-220



Version 1.0	Revision Date: 04.01.2023		SDS Number: 000000604604	Date of last issue: - Date of first issue: 04.01.2023
Boilir	ng point/boiling range	:	No data available	
Flash	n point	:	Not applicable	
Evap	ooration rate	:	No data available	
Flam	mability (solid, gas)	:	No data available	
	er explosion limit / Upper nability limit	:	No data available	
	er explosion limit / Lower nability limit	:	No data available	
Vapo	our pressure	:	No data available	
Rela	tive vapour density	:	No data available	
Dens	sity	:	No data available	
	density bility(ies)	:	1,000 kg/m3	
	ater solubility	:	No data available	
S	olubility in other solvents	:	No data available	
	tion coefficient: n- nol/water	:	No data available	
	-ignition temperature	:	350 °C (662 °F)	
Deco	omposition temperature	:	No data available	
Visco V	osity iscosity, dynamic	:	No data available	
V	iscosity, kinematic	:	Not applicable	
Explo	osive properties	:	No data available	
Oxid	izing properties	:	No data available	

### 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	No hazards to be specially mentioned.
Conditions to avoid	:	No data available

# SikaGrout<sup>®</sup>-220



ersion .0	Revision Date: 04.01.2023	SDS Number: 000000604604	Date of last issue: - Date of first issue: 04.01.2023
Incom	patible materials	: No data available	
I1. TOXIC	OLOGICAL INFORMA	TION	
	e <b>toxicity</b> assified based on avail	able information.	
calciu	onents: Im sulfate: oral toxicity	: LD50 Oral (Rat): > 5,000 mg	/kg
-	corrosion/irritation		
	u <b>s eye damage/eye ir</b> es serious eye damage		
Respi	ratory or skin sensiti	sation	
	sensitisation assified based on avail	able information.	
-	ratory sensitisation assified based on avail	able information.	
	cell mutagenicity assified based on avail	able information.	
	n <b>ogenicity</b> assified based on avail	able information.	
-	<b>oductive toxicity</b> assified based on avail	able information.	
	- single exposure ause respiratory irritati	on.	
	- repeated exposure assified based on avail	able information.	
-	<b>ation toxicity</b> assified based on avail	able information.	
12. ECOLO	OGICAL INFORMATIC	N	
Ecoto	xicity		
No da	ta available		
	stence and degradabi	lity	
No da	ta available		

Bioaccumulative potential

No data available

# SikaGrout<sup>®</sup>-220



Versi 1.0	ion	Revision Date: 04.01.2023		SDS Number: 000000604604	Date of last issue: - Date of first issue: 04.01.2023
	Mobility				
	No data a				
	Other ad	verse effects			
	Product: Additiona mation	l ecological infor-	:	There is no data available for this	product.
13. I	DISPOSA	L CONSIDERATION	IS		
	Disposal	methods			
	Waste fro	om residues	:	Do not contaminate ponds, waterv cal or used container. Send to a licensed waste manage	
	Contamir	nated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.	

### **14. TRANSPORT INFORMATION**

### International Regulations

#### UNRTDG

UNRIDG		
UN number or ID number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
IATA-DGR		
UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo aircraft)	:	Not applicable
Packing instruction (passen- ger aircraft)	:	Not applicable
IMDG-Code		
UN number or ID number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	÷	Not applicable
	•	

## SikaGrout®-220



Version	Revision Date: 04.01.2023	SDS Number:	Date of last issue: -
1.0		000000604604	Date of first issue: 04.01.2023

Marine pollutant : Not applicable

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Special precautions for user

Not applicable

### 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

: Not applicable

Environmental Protection and Management Act and Environmental Protection and Management (Hazardous Substances) Regulations

#### **16. OTHER INFORMATION**

Revision Date Date format	:	04.01.2023 dd.mm.yyyy			
Full text of other abbreviations					
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)			
SG OEL	:	Singapore. Workplace Safety and Health (General Provisions) Regulations - First Schedule Permissible Exposure Limits of Toxic Substances.			
ACGIH / TWA	:	8-hour, time-weighted average			
SG OEL / PEL (long term)	:	Permissible Exposure Level (PEL) Long Term			
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road			
CAS	:	Chemical Abstracts Service			
DNEL	:	Derived no-effect level			
EC50	:	Half maximal effective concentration			
GHS	:	Globally Harmonized System			
IATA	:	International Air Transport Association			
IMDG	:	International Maritime Code for Dangerous Goods			
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)			
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)			
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978			
OEL	:	Occupational Exposure Limit			
PBT	:	Persistent, bioaccumulative and toxic			
PNEC	:	Predicted no effect concentration			
REACH	:	Regulation (EC) No 1907/2006 of the European Parliament			

# SikaGrout<sup>®</sup>-220



Version 1.0	Revision Date: 04.01.2023	SDS Number: 000000604604	Date of last issue: - Date of first issue: 04.01.2023
SVHC vPvB		istration, Evaluation, Autho	
time of	f publication. All warrant Please consult the prod		nds to our level of knowledge at the rent General Sales Conditions shall and processing.