



Version	Revision Date: 09.12.2022	SDS Number:	Date of last issue: 09.12.2020
2.0		100000035623	Date of first issue: 09.12.2020

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Davco Panel Skim Coat (Int)

Company	:	Sika (Singapore) Pte Ltd.
		28 Tuas South Ave 8 637648 Singapore
Telephone	:	+65 6861 0632
Emergency telephone number	:	+65 6861 0632
E-mail address	:	-
Telefax	:	+65 6862 3915

2. HAZARDS IDENTIFICATION

GHS Classification		
Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 1
Skin sensitisation	:	Category 1
Specific target organ toxicity - single exposure	:	Category 3 (Respiratory system)
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation.
Precautionary statements	:	Prevention: P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling.



Version 2.0	Revision Date: 09.12.2022	SDS Number: 100000035623	Date of last issue: 09.12.2020 Date of first issue: 09.12.2020		
		the workplace.	in a well-ventilated area. lothing should not be allowed out of es/ eye protection/ face protection.		
		 Response: P302 + P352 IF ON SKIN: Wash with plenty of water. P304 + P340 + P312 IF INHALED: Remove person to free and keep comfortable for breathing. Call a POISON CEN doctor if you feel unwell. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautious water for several minutes. Remove contact lenses, if pres and easy to do. Continue rinsing. Immediately call a POIS CENTER/ doctor. P333 + P313 If skin irritation or rash occurs: Get medical vice/ attention. P362 + P364 Take off contaminated clothing and wash it reuse. 			
		Storage: P403 + P233 Store in a well-ventilated place. tightly closed.			
		Disposal: P501 Dispose of contents/ disposal plant.	container to an approved waste		
II Other	hazards which do not	result in classification			

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Limestone	1317-65-3	>= 30 -< 50
Quartz (SiO2)	14808-60-7	>= 30 -< 50
Cement, portland, chemicals	65997-15-1	>= 20 -< 30

4. FIRST AID MEASURES

General advice	Move out of dangerous area. Consult a physician. Show this safety data sheet to the docto	or in attendance.
If inhaled	Move to fresh air. Consult a physician after significant exp	osure.
In case of skin contact	Take off contaminated clothing and sho Wash off with soap and plenty of water.	

Davco Panel Skim Coat (Int)



Versio 2.0	on Revision Date: 09.12.2022		SDS Number: 100000035623	Date of last issue: 09.12.2020 Date of first issue: 09.12.2020
			If symptoms persist, call a physici	an.
	In case of eye contact		Small amounts splashed into eyes sue damage and blindness. In the case of contact with eyes, r of water and seek medical advice Continue rinsing eyes during trans Remove contact lenses. Keep eye wide open while rinsing	inse immediately with plenty sport to hospital.
	If swallowed	:	Clean mouth with water and drink Do not give milk or alcoholic beve Never give anything by mouth to a Obtain medical attention.	rages.
	Most important symptoms and effects, both acute and delayed			
	Notes to physician	:	Treat symptomatically.	
5. FI	REFIGHTING MEASURES			
	Suitable extinguishing media	:	Use extinguishing measures that a cumstances and the surrounding	
	Hazardous combustion prod- ucts	:	No hazardous combustion produc	ts are known

Specific extinguishing meth-		Standard procedure for chemical fires.	
ods			

Special protective equipment		In the event of fire, wear self-contained breathing apparatus.		
for firefighters				

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec-	:	Use personal protective equipment.
tive equipment and emer-		Avoid breathing dust.
gency procedures		Deny access to unprotected persons.

Davco Panel Skim Coat (Int)



Version 2.0	Revision Date: 09.12.2022		SDS Number: 100000035623	Date of last issue: 09.12.2020 Date of first issue: 09.12.2020	
Er	vironmental precautions	:	Do not flush into surface water or sanitary sewer system.		
	Methods and materials for containment and cleaning up		Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.		
7. HAN	DLING AND STORAGE				
	dvice on protection against e and explosion	:	Avoid dust formation. Provide appropriate exhaust ver is formed.	ntilation at places where dust	
Ac	Advice on safe handling		Do not breathe vapours/dust. Avoid exceeding the given occu section 8). Do not get in eyes, on skin, or o For personal protection see sec Persons with a history of skin se ma, allergies, chronic or recurre not be employed in any process used. Smoking, eating and drinking sh plication area. Follow standard hygiene measu products	n clothing. tion 8. ensitisation problems or asth- nt respiratory disease should in which this mixture is being hould be prohibited in the ap-	
Co	onditions for safe storage	:	 Store in original container. Keep in a well-ventilated place. Observe label precautions. Store in accordance with local regulations. 		
	rther information on stor- le stability	:	Keep in a dry place. No decomposition if stored and	applied as directed.	

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Limestone	1317-65-3	PEL (long term)	10 mg/m3 (Calcium car- bonate)	SG OEL
Quartz (SiO2)	14808-60-7	PEL (long term) (Res- pirable dust)	0.1 mg/m3	SG OEL
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3	ACGIH
		TWA (Res- pirable par-	0.025 mg/m3 (Silica)	ACGIH

Components with workplace control parameters



Version Revision Date: 09.12.2022			SDS Number: 100000035623		Date of last issue: 09.12.2020 Date of first issue: 09.12.2020	
			ticulate mat- ter)			
			TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3	ACGIH	
			TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH	
Ceme	nt, portland, chemicals	65997-15-1	PEL (long term) TWA (Res-	10 mg/m3 1 mg/m3	SG OEL ACGIH	
			pirable par- ticulate mat- ter)	T mg/m3	Accin	
Perso	nal protective equipme	nt				
		that exposur The filter clas imum expect (gas/vapour/ dling the pro	es are within rec ss for the respira ed contaminant aerosol/particula	tes) that may arise entration is exceed	re guidelines. e for the max- when han-	
Hand	protection	approved sta	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.			
Eye pr	rotection			th an approved stanent indicates this is		
Skin a	nd body protection	tration and a	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.			
Hygier	ne measures	practice. When using When using	do not eat or drir do not smoke.	bod industrial hygie nk. nd at the end of wo		

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	grey
Odour	:	No data available

Chemical stability

Davco Panel Skim Coat (Int)



Version 2.0	Revision Date: 09.12.2022		SDS Number: 100000035623	Date of last issue: 09.12.2020 Date of first issue: 09.12.2020
Odour	Threshold	:	No data available	
рН		:	No data available	
Melting point	g point/range / Freezing	:	No data available	
	point/boiling range	:	No data available	
Flash p	point	:	> 101 °C (> 214 °F)	
Evapo	ration rate	:	No data available	
Flamm	ability (solid, gas)	:	No data available	
	explosion limit / Upper ability limit	:	No data available	
	explosion limit / Lower ability limit	:	No data available	
Vapou	r pressure	:	No data available	
Relativ	e vapour density	:	No data available	
Density	y	:	Not applicable	
	ity(ies) ter solubility	:	No data available	
Sol	ubility in other solvents	:	No data available	
	on coefficient: n-	:	No data available	
	I/water gnition temperature	:	No data available	
Decom	position temperature	:	No data available	
Viscos Visc	ity cosity, dynamic	:	Not applicable	
Vise	cosity, kinematic	:	No data available	
Explos	ive properties	:	No data available	
Oxidizi	ng properties	:	No data available	
10. STABIL	ITY AND REACTIVITY			
Reactiv	vity	:	No dangerous reaction kr	nown under conditions of normal use.

: The product is chemically stable.



Davco Panel Skim Coat (Int)

ersion .0	Revision Date: 09.12.2022	SDS Number: 100000035623	Date of last issue: 09.12.2020 Date of first issue: 09.12.2020
Possil tions	bility of hazardous reac-	: No hazards to be special	ly mentioned.
Condi	tions to avoid	: No data available	
Incom	patible materials	: No data available	
11. TOXIC	OLOGICAL INFORMATI	ON	
Not cl	e toxicity assified based on availab corrosion/irritation	le information.	
Cause	es skin irritation.		
	us eye damage/eye irrit es serious eye damage.	ation	
Respi	iratory or skin sensitisa	tion	
	sensitisation ause an allergic skin read	stion.	
-	i ratory sensitisation assified based on availab	le information.	
	cell mutagenicity assified based on availab	le information.	
	nogenicity assified based on availab	le information.	
•	oductive toxicity assified based on availab	le information.	
	- single exposure ause respiratory irritation		
	 repeated exposure assified based on availab 	le information.	
-	ation toxicity assified based on availab	le information.	
12. ECOLO	OGICAL INFORMATION		
Ecoto	oxicity		
	ta available		

Persistence and degradability No data available



Versior 2.0	n Revision Date: 09.12.2022		SDS Number: 100000035623	Date of last issue: 09.12.2020 Date of first issue: 09.12.2020
	ioaccumulative potential o data available			
	lobility in soil lo data available			
0	ther adverse effects			
A	roduct: dditional ecological infor- nation	:	There is no data available for this	product.
13. DI	SPOSAL CONSIDERATION	S		
D	isposal methods			
W	aste from residues		Do not contaminate ponds, waten cal or used container. Send to a licensed waste manage	
С	ontaminated packaging		Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.	
W	Aste from residues	:	cal or used container. Send to a licensed waste manage Empty remaining contents. Dispose of as unused product.	

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number or ID number Proper shipping name Class Subsidiary risk Packing group	:	Not applicable Not applicable Not applicable Not applicable Not applicable
Labels	:	Not applicable
IATA-DGR UN/ID No. Proper shipping name Class Subsidiary risk Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)		Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable
IMDG-Code UN number or ID number Proper shipping name Class Subsidiary risk	:	Not applicable Not applicable Not applicable Not applicable



Davco Panel Skim Coat (Int)

Version 2.0	Revision Date: 09.12.2022		SDS Number: 100000035623	Date of last issue: 09.12.2020 Date of first issue: 09.12.2020
Labels EmS (-	:	Not applicable Not applicable Not applicable Not applicable	
	port in bulk accordin oplicable for product a	•	Annex II of MARPOL 73/78 plied.	and the IBC Code
•	al precautions for us	ser		

Safety, health and environmental regulations/legislation specific for the substance or mixture

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

Environmental Protection and Management Act and Environmental Protection and Management (Hazardous Substances) Regulations : Not applicable

16. OTHER INFORMATION

Revision Date Date format	:	09.12.2022 dd.mm.yyyy				
Full text of other abbreviations						
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)				
SG OEL	÷	Singapore. Workplace Safety and Health (General Provisions) Regulations - First Schedule Permissible Exposure Limits of Toxic Substances.				
ACGIH / TWA	:	8-hour, time-weighted average				
SG OEL / PEL (long term)	:					
ADR	:	European Agreement concerning the International Carriage of				
		Dangerous Goods by Road				
CAS	:	Chemical Abstracts Service				
DNEL	:	Derived no-effect level				
EC50	:	Half maximal effective concentration				
GHS	:	Globally Harmonized System				
ΙΑΤΑ	:	International Air Transport Association				
IMDG	:	International Maritime Code for Dangerous Goods				
LD50	:	Median lethal dosis (the amount of a material, given all at				
		once, which causes the death of 50% (one half) of a group of				
		test animals)				
LC50	:	Median lethal concentration (concentrations of the chemical in				
		air that kills 50% of the test animals during the observation				
		period)				
MARPOL	:	International Convention for the Prevention of Pollution from				
		Ships, 1973 as modified by the Protocol of 1978				
OEL	:	Occupational Exposure Limit				



Version 2.0	Revision Date: 09.12.2022	SDS Num 10000003		Date of last issue: 09.12.2020 Date of first issue: 09.12.2020
PBT PNEC REACH SVHC		 Predicted no e Regulation (EC and of the Coursection, Evalucation, Evalucation, Evalucation, REACH), Substances of 	ncil of 18 Decembe ation, Authorisation establishing a Eur Very High Concerr	the European Parliament er 2006 concerning the Reg- n and Restriction of Chemi- opean Chemicals Agency
vPvB		: Very persisten	and very bioaccur	nulative

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing. SG / EN