Davco Renofix (RF188) ECO



|--|

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Davco Renofix (RF188) ECO

Manufacturer or supplier's d	eta	ils
Company	:	Sika (Singapore) Pte Ltd.

		28 Tuas South Ave 8 637648 Singapore
Telephone	:	+65 6861 0632
Emergency telephone number	:	+65 6861 0632
E-mail address	:	-
Telefax	:	+65 6862 3915

2. HAZARDS IDENTIFICATION

GHS Classification Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 1
Skin sensitisation	:	Category 1
Specific target organ toxicity - single exposure	:	Category 3 (Respiratory system)
GHS label elements Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation.
Precautionary statements	:	Prevention: P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling.



ersion 1	Revision Date: 09.12.2022	SDS Number: 100000034474	Date of last issue: 03.10.2020 Date of first issue: 03.10.2020
		the workplace.	r in a well-ventilated area. clothing should not be allowed out of res/ eye protection/ face protection.
		P304 + P340 + P312 IF IN and keep comfortable for b doctor if you feel unwell. P305 + P351 + P338 + P3 water for several minutes. and easy to do. Continue r CENTER/ doctor. P333 + P313 If skin irritatio vice/ attention.	Wash with plenty of water. HALED: Remove person to fresh air preathing. Call a POISON CENTER/ 10 IF IN EYES: Rinse cautiously with Remove contact lenses, if present rinsing. Immediately call a POISON on or rash occurs: Get medical ad- taminated clothing and wash it before
		Storage: P403 + P233 Store in a we tightly closed.	ell-ventilated place. Keep container
		Disposal: P501 Dispose of contents/ disposal plant.	container to an approved waste

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Quartz (SiO2)	14808-60-7	>= 50 -< 70
Cement, portland, chemicals	65997-15-1	>= 30 -< 50
Limestone	1317-65-3	>= 20 -< 30

4. FIRST AID MEASURES

General advice	Move out of dangerous area. Consult a physician. Show this safety data sheet to the docto	or in attendance.
If inhaled	Move to fresh air. Consult a physician after significant exp	osure.
In case of skin contact	Take off contaminated clothing and sho Wash off with soap and plenty of water.	

Davco Renofix (RF188) ECO



Version 1.1	n Revision Date: 09.12.2022		SDS Number: 100000034474	Date of last issue: 03.10.2020 Date of first issue: 03.10.2020
			If symptoms persist, call a physic	cian.
Ir	n case of eye contact	:	Small amounts splashed into eye sue damage and blindness. In the case of contact with eyes, of water and seek medical advic Continue rinsing eyes during tran Remove contact lenses. Keep eye wide open while rinsin	rinse immediately with plenty e. nsport to hospital.
lf	fswallowed	:	Clean mouth with water and drin Do not give milk or alcoholic bev Never give anything by mouth to Obtain medical attention.	erages.
а	Nost important symptoms and effects, both acute and lelayed	:	irritant effects sensitising effects Cough Respiratory disorder Allergic reactions Excessive lachrymation Dermatitis See Section 11 for more detailed and symptoms. Causes skin irritation. May cause an allergic skin react Causes serious eye damage. May cause respiratory irritation.	
Ν	lotes to physician	:	Treat symptomatically.	
5. FIR	EFIGHTING MEASURES			
S	Suitable extinguishing media	:	Use extinguishing measures that cumstances and the surrounding	
	lazardous combustion prod- icts	:	No hazardous combustion produ	icts are known
S	Specific extinguishing meth-	:	Standard procedure for chemica	l fires.

Special protective equipment : In the event of fire, wear self-contained breathing apparatus. for firefighters

6. ACCIDENTAL RELEASE MEASURES

ods

Personal precautions, protec-	:	Use personal protective equipment.
tive equipment and emer-		Avoid breathing dust.
gency procedures		Deny access to unprotected persons.

Davco Renofix (RF188) ECO



Version 1.1	Revision Date: 09.12.2022		SDS Number: 100000034474	Date of last issue: 03.10.2020 Date of first issue: 03.10.2020
En	vironmental precautions	:	Do not flush into surface wa	ter or sanitary sewer system.
	thods and materials for ntainment and cleaning up	:	Pick up and arrange disposa Keep in suitable, closed con	
7. HAN	DLING AND STORAGE			
	vice on protection against and explosion	:	Avoid dust formation. Provide appropriate exhaust is formed.	t ventilation at places where dust
Ad	vice on safe handling	:	section 8). Do not get in eyes, on skin, For personal protection see Persons with a history of ski ma, allergies, chronic or rec not be employed in any prod used. Smoking, eating and drinkin plication area.	occupational exposure limits (see or on clothing.
Co	nditions for safe storage	:	Store in original container. Keep in a well-ventilated pla Observe label precautions. Store in accordance with loc	
	rther information on stor- e stability	:	Keep in a dry place. No decomposition if stored a	and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Quartz (SiO2)	14808-60-7	PEL (long term) (Res- pirable dust)	0.1 mg/m3	SG OEL
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3	ACGIH
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH
		TWA (Res-	0.025 mg/m3	ACGIH

Components with workplace control parameters



sion	on Revision Date: SDS Number: 09.12.2022 10000034474			ssue: 03.10.2020 ssue: 03.10.2020	
			pirable par- ticulate mat- ter)		
			TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH
Ceme	nt, portland, chemicals	65997-15-1	PEL (long term)	10 mg/m3	SG OEL
			TWA (Res- pirable par- ticulate mat- ter)	1 mg/m3	ACGIH
Limes	tone	1317-65-3	PEL (long term)	10 mg/m3 (Calcium car- bonate)	SG OEL
Perso	nal protective equipme	ent			
		imum expect (gas/vapour/ dling the pro	ed contaminant of aerosol/particula	tes) that may arise entration is exceede	when han-
Hand	protection	approved sta	andard should be	us gloves complying worn at all times w sessment indicates	hen handling
Еуе рі	rotection			th an approved stan	
Skin a	nd body protection		mount of danger	lation to its type, to ous substances, ar	
Hygiei					

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	grey
Odour	:	No data available

Davco Renofix (RF188) ECO



ersion .1	Revision Date: 09.12.2022		SDS Number: 100000034474	Date of last issue: 03.10.2020 Date of first issue: 03.10.2020
Odour	Threshold	:	No data available	
pН			No data available	
	g point/range / Freezing	:	No data available	
point		•		
-	point/boiling range	:	No data available	
Flash	point	:	> 101 °C (214 °F) (Method: closed cup)	
Evapo	ration rate	:	No data available	
Flamm	ability (solid, gas)	:	No data available	
	explosion limit / Upper ability limit	:	No data available	
	explosion limit / Lower ability limit	:	No data available	
Vapou	r pressure	:	No data available	
Relativ	ve vapour density	:	No data available	
Densit	у	:	Not applicable	
	lity(ies) ter solubility	:	No data available	
Sol	ubility in other solvents	:	No data available	
	on coefficient: n-	:	No data available	
	nl/water gnition temperature	:	No data available	
Decon	nposition temperature	:	No data available	
Viscos Vis	ity cosity, dynamic	:	Not applicable	
Vis	cosity, kinematic	:	Not applicable	
Explos	ive properties	:	No data available	
Oxidiz	ing properties	:	No data available	

10. STABILITY AND REACTIVITY

Reactivity

: No dangerous reaction known under conditions of normal use.

Davco Renofix (RF188) ECO



Vers 1.1	ion	Revision Date: 09.12.2022		SDS Number: 100000034474	Date of last issue: 03.10.2020 Date of first issue: 03.10.2020
	Chemica	l stability	:	The product is chemically stable.	
Possibility of hazardous reac- tions		:	No hazards to be specially mentioned.		
	Condition	ns to avoid	:	No data available	
	Incompa	tible materials	:	No data available	

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available



Version 1.1	Revision Date: 09.12.2022		SDS Number: 100000034474	Date of last issue: 03.10.2020 Date of first issue: 03.10.2020
	cumulative potential			
No da	ta available			
Mobil	ity in soil			
No da	ta available			
Other	adverse effects			
<u>Produ</u>	<u>ict:</u>			
Addition mation	onal ecological infor- า	: -	There is no data available for t	his product.
13. DISPO	SAL CONSIDERATION	IS		
Dispo	sal methods			
-	from residues	(Do not contaminate ponds, wa cal or used container. Send to a licensed waste man	terways or ditches with chemi- agement company.
Conta	minated packaging	I	Empty remaining contents. Dispose of as unused product. Do not re-use empty container	

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number or ID number Proper shipping name Class Subsidiary risk Packing group	:	Not applicable Not applicable Not applicable Not applicable Not applicable
Labels	:	Not applicable
IATA-DGR UN/ID No. Proper shipping name Class Subsidiary risk Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)		Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable
IMDG-Code UN number or ID number Proper shipping name Class Subsidiary risk	:	Not applicable Not applicable Not applicable Not applicable

Version

_

Davco Renofix (RF188) ECO

Revision Date:



Date of last issue: 03.10.2020

1.1	09.12.2022	10000034474	Date of first issue: 03.10.2020
	Packing group Labels EmS Code Marine pollutant	 Not applicable Not applicable Not applicable Not applicable 	
	•	to Annex II of MARPOL 73/	78 and the IBC Code
	Special precautions for use Not applicable	r	

SDS Number:

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

Environmental Protection and Management Act and Environmental Protection and Management (Hazardous Substances) Regulations : Not applicable

16. OTHER INFORMATION

Revision Date Date format	:	09.12.2022 dd.mm.yyyy
Full text of other abbreviat	ions	
ACGIH SG OEL	:	USA. ACGIH Threshold Limit Values (TLV) Singapore. Workplace Safety and Health (General Provisions) Regulations - First Schedule Permissible Exposure Limits of Toxic Substances.
ACGIH / TWA	:	8-hour, time-weighted average
SG OEL / PEL (long term)	:	Permissible Exposure Level (PEL) Long Term
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
IATA	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	:	Occupational Exposure Limit



Version 1.1	Revision Date: 09.12.2022	SDS Number: 100000034474	Date of last issue: 03.10.2020 Date of first issue: 03.10.2020
PBT PNEC REACH		and of the Council of 18 De istration, Evaluation, Autho	
SVHC vPvB		 Substances of Very High Concern Very persistent and very bioaccumulative 	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing. SG / EN