Version

Davco 731 Repair Mortar

Revision Date:

Emergency telephone number : +65 6861 0632



Date of last issue: 01.09.2020

2.0	09.12.2022	10000033884	Date of first issue: 01.09.2020
1. PRODU	CT AND COMPANY ID	ENTIFICATION	
Produ	ict name	[:] Davco 731 Repair Mortar	
Manu	facturer or supplier's o	details	
Comp	pany	: Sika (Singapore) Pte Ltd.	
		28 Tuas South Ave 8 637648 Singapore	

: +65 6861 0632

: +65 6862 3915

: -

SDS Number:

2. HAZARDS IDENTIFICATION

Telephone

Telefax

E-mail address

GHS Classification		
Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 1
Skin sensitisation	:	Category 1
Specific target organ toxicity - single exposure	:	Category 3 (Respiratory system)
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation.
Precautionary statements	:	Prevention: P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling.

Davco 731 Repair Mortar



Version 2.0	Revision Date: 09.12.2022	SDS Number: 100000033884	Date of last issue: 01.09.2020 Date of first issue: 01.09.2020			
		P271 Use only outdoors or in a v P272 Contaminated work clothin the workplace. P280 Wear protective gloves/ ey	g should not be allowed out of			
		 Response: P302 + P352 IF ON SKIN: Wash with plenty of water. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P362 + P364 Take off contaminated clothing and wash it before reuse. 				
		Storage: P403 + P233 Store in a well-ven tightly closed.	tilated place. Keep container			
		Disposal: P501 Dispose of contents/ conta disposal plant.	iner to an approved waste			
II Other h	azards which do not re	sult in classification				

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Quartz (SiO2)	14808-60-7	>= 50 -< 70
Cement, portland, chemicals	65997-15-1	>= 30 -< 50
Fumes, silica	69012-64-2	>= 1 -< 10

4. FIRST AID MEASURES

General advice	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in atter	ndance.
If inhaled	Move to fresh air. Consult a physician after significant exposure.	
In case of skin contact	Take off contaminated clothing and shoes imme Wash off with soap and plenty of water.	diately.

Davco 731 Repair Mortar



Versio 2.0	on Revision Date: 09.12.2022		SDS Number: 100000033884	Date of last issue: 01.09.2020 Date of first issue: 01.09.2020
			If symptoms persist, call a physi	cian.
	In case of eye contact	:	Small amounts splashed into ey sue damage and blindness. In the case of contact with eyes, of water and seek medical advic Continue rinsing eyes during tra Remove contact lenses. Keep eye wide open while rinsin	rinse immediately with plenty e. nsport to hospital.
	If swallowed	:	Clean mouth with water and drin Do not give milk or alcoholic bey Never give anything by mouth to Obtain medical attention.	verages.
;	Most important symptoms and effects, both acute and delayed	:	irritant effects sensitising effects Cough Respiratory disorder Allergic reactions Excessive lachrymation Dermatitis See Section 11 for more detailed and symptoms. Causes skin irritation. May cause an allergic skin react Causes serious eye damage. May cause respiratory irritation.	
	Notes to physician	:	Treat symptomatically.	
5. FI	REFIGHTING MEASURES			
:	Suitable extinguishing media	:	Use extinguishing measures tha cumstances and the surrounding	
	Hazardous combustion prod- ucts	:	No hazardous combustion produ	ucts are known
:	Specific extinguishing meth-	:	Standard procedure for chemica	l fires.

Special protective equipment : In the event of fire, wear self-contained breathing apparatus. for firefighters

6. ACCIDENTAL RELEASE MEASURES

ods

Personal precautions, protec- :	ι	Jse personal protective equipment.
tive equipment and emer-	Α	Avoid breathing dust.
gency procedures	C	Deny access to unprotected persons.

Davco 731 Repair Mortar



Version 2.0	Revision Date: 09.12.2022		SDS Number: 100000033884	Date of last issue: 01.09.2020 Date of first issue: 01.09.2020
Env	rironmental precautions	:	Do not flush into surface wa	ter or sanitary sewer system.
	hods and materials for tainment and cleaning up	:	Pick up and arrange disposa Keep in suitable, closed con	
7. HAND	LING AND STORAGE			
	rice on protection against and explosion	:	Avoid dust formation. Provide appropriate exhaust is formed.	t ventilation at places where dust
Adv	rice on safe handling	:	section 8). Do not get in eyes, on skin, For personal protection see Persons with a history of ski ma, allergies, chronic or rect not be employed in any prod used. Smoking, eating and drinkin plication area.	occupational exposure limits (see or on clothing.
Cor	nditions for safe storage	:	Store in original container. Keep in a well-ventilated pla Observe label precautions. Store in accordance with loc	
	ther information on stor- stability	:	Keep in a dry place. No decomposition if stored a	and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Quartz (SiO2)	14808-60-7	PEL (long term) (Res- pirable dust)	0.1 mg/m3	SG OEL
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3	ACGIH
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH
		TWA (Res-	0.025 mg/m3	ACGIH

Components with workplace control parameters



Davco 731 Repair Mortar

ersion Revision Date: 0 09.12.2022				Date of last issue: 01.09.2020 Date of first issue: 01.09.2020	
			pirable par- ticulate mat- ter)		
			TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH
Ceme	nt, portland, chemicals	65997-15-1	PEL (long term)	10 mg/m3	SG OEL
			TWA (Res- pirable par- ticulate mat- ter)	1 mg/m3	ACGIH
Fumes	s, silica	69012-64-2	PEL (long term) (Res- pirable dust)	2 mg/m3	SG OEL
Perso	nal protective equipme	ent			
		that exposures are within recommended exposure gu The filter class for the respirator must be suitable for t imum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise wher dling the product. If this concentration is exceeded, se contained breathing apparatus must be used.			
Hand	protection	approved sta	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.		
Eye pr	rotection			th an approved sta lent indicates this is	
Skin a	nd body protection		mount of danger	ation to its type, to ous substances, ar	
Hygier	ne measures	practice. When using When using	do not eat or drin do not smoke.	ood industrial hygie k. nd at the end of wo	·

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Colour	:	grey
Odour	:	No data available

Davco 731 Repair Mortar



Version 2.0	Revision Date: 09.12.2022		SDS Number: 100000033884	Date of last issue: 01.09.2020 Date of first issue: 01.09.2020
Odo	ur Threshold	:	No data available	
pН		:	No data available	
Melti point	51 5 5	:	No data available	
	ng point/boiling range	:	No data available	
Flas	h point	:	> 101 °C (214 °F) (Method: closed cup) Not applicable	
Evap	poration rate	:	No data available	
Flam	nmability (solid, gas)	:	No data available	
	er explosion limit / Upper mability limit	:	No data available	
	er explosion limit / Lower mability limit	:	No data available	
Vapo	our pressure	:	No data available	
Rela	tive vapour density	:	No data available	
Dens	sity	:	Not applicable	
	bility(ies)			
V	Vater solubility	:	No data available	
S	solubility in other solvents	:	No data available	
	ition coefficient: n-	:	No data available	
	nol/water -ignition temperature	:	No data available	
Dec	omposition temperature	:	No data available	
Visc V	osity ⁄iscosity, dynamic	:	Not applicable	
V	iscosity, kinematic	:	No data available	
Expl	osive properties	:	No data available	
Oxid	lizing properties	:	No data available	

10. STABILITY AND REACTIVITY

Reactivity

: No dangerous reaction known under conditions of normal use.

Davco 731 Repair Mortar



Version 2.0	Revision Date: 09.12.2022		SDS Number: 100000033884	Date of last issue: 01.09.2020 Date of first issue: 01.09.2020	
Che	Chemical stability		The product is chemically stable.		
	Possibility of hazardous reac- tions		No hazards to be specially mentioned.		
Con	Conditions to avoid		No data available		
Inco	Incompatible materials		No data available		
11. TOX	ICOLOGICAL INFORMATI	ION	1		
Acu	ite toxicity				
Not	classified based on availab	ole i	information.		
Skir	n corrosion/irritation				
Cau	ises skin irritation.				

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Davco 731 Repair Mortar



Version 2.0	Revision Date: 09.12.2022		SDS Number: 100000033884	Date of last issue: 01.09.2020 Date of first issue: 01.09.2020
	rsistence and degradabilit data available	t y		
	Bioaccumulative potential No data available			
	Mobility in soil No data available			
Otl	Other adverse effects			
Ad	Product: Additional ecological infor- : mation		There is no data available for this product.	
13. DIS	POSAL CONSIDERATIONS	S		
Dis	sposal methods			
Wa	aste from residues	(Do not contaminate ponds, waterv cal or used container. Send to a licensed waste manage	
Co	Contaminated packaging :		Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.	

14. TRANSPORT INFORMATION

International Regulations

UNRTDG UN number or ID number Proper shipping name Class Subsidiary risk Packing group Labels	::	Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable
IATA-DGR UN/ID No. Proper shipping name Class Subsidiary risk Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)		Not applicable
IMDG-Code UN number or ID number Proper shipping name	:	Not applicable Not applicable

Davco 731 Repair Mortar



Version 2.0	Revision Date: 09.12.2022	SDS Number: 100000033884	Date of last issue: 01.09.2020 Date of first issue: 01.09.2020		
Class Subsidiary risk Packing group Labels EmS Code Marine pollutant		 Not applicable 			
	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.				
-	Special precautions for user Not applicable				
15. REGUL	ATORY INFORMATI	ON			

Safety, health and environmental regulations/legislation specific for the substance or mixture

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

: Not applicable

Environmental Protection and Management Act and Environmental Protection and Management (Hazardous Substances) Regulations

16. OTHER INFORMATION

Revision Date Date format	:	09.12.2022 dd.mm.yyyy
Full text of other abbreviati	ions	
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
SG OEL	:	Singapore. Workplace Safety and Health (General Provisions) Regulations - First Schedule Permissible Exposure Limits of Toxic Substances.
ACGIH / TWA	:	8-hour, time-weighted average
SG OEL / PEL (long term)	:	Permissible Exposure Level (PEL) Long Term
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration
GHS	:	Globally Harmonized System
ΙΑΤΑ	:	International Air Transport Association
IMDG	:	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	:	International Convention for the Prevention of Pollution from



Davco 731 Repair Mortar

Version 2.0	Revision Date: 09.12.2022	SDS Number: 100000033884	Date of last issue: 01.09.2020 Date of first issue: 01.09.2020
OEL PBT PNEC REACH		and of the Council of 18 Dec istration, Evaluation, Authori	t and toxic ation 06 of the European Parliament ember 2006 concerning the Reg- sation and Restriction of Chemi-
SVHC vPvB		cals (REACH), establishing a Substances of Very High Co Very persistent and very bio	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing. SG / EN