Sika AnchorFix®-1 N (A)



ersion 1	Revision Date: 04.11.2022		SDS Number: 100000016093	Date of last issue: 04.03.2020 Date of first issue: 04.03.2020
. PRODU	CT AND COMPANY ID	ENT	IFICATION	
Produ	ct name	:	Sika AnchorFix®-1 N (A)	
Manu	facturer or supplier's o	detai	is	
Comp	any	:	Sika (Singapore) Pte Ltd.	
			28 Tuas South Ave 8 637648 Singapore	
Teleph	hone	:	+65 6861 0632	
Emerg	gency telephone numbe	er :	+65 6861 0632	
E-mail	l address	:	-	
Telefa	іх	:	+65 6862 3915	
Recor	mmended use of the c	hem	ical and restrictions on use	
Produ	ct use	:	Adhesive	

2. HAZARDS IDENTIFICATION

GHS Classification Serious eye damage/eye irri- tation	:	Category 2
Skin sensitisation	:	Category 1
GHS label elements Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.
Precautionary statements	:	P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use.
		Prevention:
		P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of

Sika AnchorFix®-1 N (A)



Version 1.1	Revision Date: 04.11.2022	SDS Number: 100000016093	Date of last issue: 04.03.2020 Date of first issue: 04.03.2020
		the workplace. P280 Wear protective glov	es/ eye protection/ face protection.
		for several minutes. Removeasy to do. Continue rinsin P333 + P313 If skin irritation vice/ attention. P337 + P313 If eye irritation tention.	EYES: Rinse cautiously with water ve contact lenses, if present and
		Disposal: P501 Dispose of contents/ disposal plant.	container to an approved waste
	hazards which do not known.	result in classification	

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance	/ Mixture	:	Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
tetramethylene dimethacrylate	2082-81-7	>= 10 -< 20
vinyltoluene	25013-15-4	>= 1 -< 10
ethylene dimethacrylate	97-90-5	>= 1 -< 10
methacrylic acid, monoester with propane-1,2- diol	27813-02-1	>= 1 -< 10
2,2'-[(4-methylphenyl)imino]bisethanol	3077-12-1	>= 1 -< 10
1,1'-(p-tolylimino)dipropan-2-ol	38668-48-3	>= 0.1 -< 1

4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Immediately flush eye(s) with plenty of water.

Sika AnchorFix®-1 N (A)



Version 1.1	Revision Date: 04.11.2022		SDS Number: 100000016093	Date of last issue: 04.03.2020 Date of first issue: 04.03.2020
			Remove contact lenses. Keep eye wide open while rir If eye irritation persists, cons	
If swall	lowed	:	Clean mouth with water and Do not give milk or alcoholic Never give anything by mout Obtain medical attention.	
and eff	Most important symptoms and effects, both acute and delayed		irritant effects sensitising effects Allergic reactions Excessive lachrymation See Section 11 for more deta and symptoms. May cause an allergic skin re Causes serious eye irritation	
Notes	to physician	:	Treat symptomatically.	
5. FIREFIG	HTING MEASURES			
Suitabl	le extinguishing media	:	Use extinguishing measures cumstances and the surroun	that are appropriate to local cir- ding environment.
Hazaro ucts	dous combustion prod-	:	No hazardous combustion pr	roducts are known
Specifi ods	ic extinguishing meth-	:	Standard procedure for chem	nical fires.
	Il protective equipment fighters	:	In the event of fire, wear self	-contained breathing apparatus.

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Deny access to unprotected persons.
Environmental precautions	:	Do not flush into surface water or sanitary sewer system.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Advice on protection against	:	Normal measures for preventive fire protection.
fire and explosion		

Sika AnchorFix®-1 N (A)



Version 1.1	Revision Date: 04.11.2022	SDS Number: 100000016093	Date of last issue: 04.03.2020 Date of first issue: 04.03.2020
Advic	e on safe handling	section 8). Do not get in eyes, on skin, For personal protection see Persons with a history of sk ma, allergies, chronic or rec not be employed in any prod used. Smoking, eating and drinkin plication area.	or on clothing.
Cond	itions for safe storage	: Keep container tightly close place. Store in accordance with loo	d in a dry and well-ventilated cal regulations.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
vinyltoluene	25013-15-4	PEL (long term)	50 ppm 242 mg/m3	SG OEL
		PEL (short term)	100 ppm 483 mg/m3	SG OEL
		TWA	50 ppm	ACGIH
		STEL	100 ppm	ACGIH

Components with workplace control parameters

Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max- imum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when han- dling the product. If this concentration is exceeded, self- contained breathing apparatus must be used.
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Eye protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary.
Skin and body protection	:	Choose body protection in relation to its type, to the concen-

Sika AnchorFix®-1 N (A)



Version 1.1	Revision Date: 04.11.2022		SDS Number: 100000016093	Date of last issue: 04.03.2020 Date of first issue: 04.03.2020
			tration and amount of dangerous cific work-place.	substances, and to the spe-
Hygien	e measures	:	Handle in accordance with good i practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and a	
9. PHYSICA	AL AND CHEMICAL PR	OP	ERTIES	
Appear	ance	:	paste	
Colour		:	beige	
Odour		:	slight	
Odour	Threshold	:	No data available	
рН		:	Not applicable	
Melting point	point/range / Freezing	:	No data available	
	point/boiling range	:	No data available	
Flash p	point	:	Not applicable	
Evapor	ation rate	:	No data available	
Flamma	ability (solid, gas)	:	No data available	
	explosion limit / Upper ability limit	:	No data available	
	explosion limit / Lower ability limit	:	No data available	
Vapour	r pressure	:	0.01 hPa	
Relative	e vapour density	:	No data available	
Density	/	:	ca. 1.72 g/cm3 (20 °C (68 °F))	
Solubili Wat	ity(ies) ter solubility	:	insoluble	
Solu	ubility in other solvents	:	No data available	
Partitio octanol	n coefficient: n-	:	No data available	
	nition temperature	:	No data available	

Sika AnchorFix®-1 N (A)



Version 1.1	Revision Date: 04.11.2022		SDS Number: 100000016093	Date of last issue: 04.03.2020 Date of first issue: 04.03.2020
Decor	Decomposition temperature		No data available	
Viscosity Viscosity, dynamic		:	Not applicable	
Vis	Viscosity, kinematic		No data available	
Explosive properties		:	No data available	
Oxidizing properties		:	No data available	

10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	Stable under recommended storage conditions.
Conditions to avoid	:	No data available
Incompatible materials	:	No data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Components:

1,1'-(p-tolylimino)dipropan-2-ol:

Acute oral toxicity : LD50 Oral (Rat): 25 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Sika AnchorFix®-1 N (A)



ersion 1	Revision Date: 04.11.2022	SDS Number: 100000016093	Date of last issue: 04.03.2020 Date of first issue: 04.03.2020				
	ogenicity						
	assified based on availa	ble information.					
Reproductive toxicity Not classified based on available information. STOT - single exposure Not classified based on available information.							
Not cla	assified based on availa	ble information.					
-	ation toxicity assified based on availa	ble information.					
2. ECOLO	GICAL INFORMATION	I					
Ecoto No dat	xicity a available						
	tence and degradabili a available	ty					
	cumulative potential a available						
	ty in soil a available						
	adverse effects						
Produ Additio mation	onal ecological infor-	: There is no data available	for this product.				
3. DISPOS	SAL CONSIDERATION	S					
-	sal methods						
Waste	from residues	: Do not contaminate ponds cal or used container. Send to a licensed waste r	s, waterways or ditches with chemi- management company.				
Contar	ninated packaging	: Empty remaining contents Dispose of as unused proc Do not re-use empty conta	duct.				

14. TRANSPORT INFORMATION

International Regulations

UNRTDG UN number or ID number

Not applicable

:

Sika AnchorFix[®]-1 N (A)



Version 1.1	Revision Date: 04.11.2022	SDS Number: 100000016093	Date of last issue: 04.03.2020 Date of first issue: 04.03.2020
Proper shipping name Class Subsidiary risk Packing group Labels		 Not applicable Not applicable Not applicable Not applicable Not applicable	
IATA-DGR UN/ID No. Proper shipping name Class Subsidiary risk Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)		 Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable	
UN nu Prope Class Subsi Packin Labels EmS Marin	-	 Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable	

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

Environmental Protection and Management Act and Environmental Protection and Management (Hazardous Substances) Regulations

: Not applicable

16. OTHER INFORMATION

Revision Date	:	04.11.2022
Date format	:	dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

8/9

Sika AnchorFix®-1 N (A)



Versie 1.1	on Revisi 04.11.	on Date: 2022	SDS Number: 100000016093	Date of last issue: 04.03.2020 Date of first issue: 04.03.2020				
SG OEL		:	 Singapore. Workplace Safety and Health (General Provisions) Regulations - First Schedule Permissible Exposure Limits of Toxic Substances. 					
	ACGIH / TWA	:	8-hour, time-weighted average					
	ACGIH / STEL	:	Short-term exposure limit					
	SG OEL / PEL (I		Permissible Exposure Level (PEL					
	SG OEL / PEL (short term) :	: Permissible Exposure Level (PEL) Short Term					
	ADR	:	European Agreement concerning Dangerous Goods by Road	the International Carriage of				
	CAS	:	Chemical Abstracts Service					
	DNEL	:	Derived no-effect level					
	EC50	:	: Half maximal effective concentration					
	GHS		 Globally Harmonized System International Air Transport Association 					
IATA IMDG LD50		:						
		:	International Maritime Code for D					
	LD50		Median lethal dosis (the amount of some once, which causes the death of some once)					
LC50			test animals)					
		:	Median lethal concentration (conc	centrations of the chemical in				
			air that kills 50% of the test anima	als during the observation				
			period)	becaution of Dollation from				
	MARPOL	:	International Convention for the P					
	OEL		Ships, 1973 as modified by the Pi Occupational Exposure Limit					
	PBT	:	Persistent, bioaccumulative and to	oxic				
	PNEC		Predicted no effect concentration	UXIC				
	REACH		Regulation (EC) No 1907/2006 of	the European Parliament				
			and of the Council of 18 December istration, Evaluation, Authorisation cals (REACH), establishing a Eur	er 2006 concerning the Reg- n and Restriction of Chemi-				
	SVHC	:	Substances of Very High Concerr					
	vPvB	:	Very persistent and very bioaccur	nulative				

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing. SG / EN