SikaStabilizer - 3710 TBM



SDS Number: Version Revision Date: Date of last issue: -

01.07.2024 100000058679 Date of first issue: 01.07.2024 1.0

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier SikaStabilizer - 3710 TBM

Recommended use of the chemical and restrictions on use Product use : For professional users only.

Manufacturer or supplier's details

Sika (Singapore) Pte Ltd. Company

> 28 Tuas South Ave 8 637648 Singapore

Telephone +65 6861 0632

Emergency telephone num- : +65 6861 0632

ber

E-mail address

Telefax +65 6862 3915

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Serious eye damage/eye irri-

tation

: Category 1

Aspiration hazard Category 1

GHS Label elements, including precautionary statements

Hazard pictograms

Signal word

Hazard statements H304 May be fatal if swallowed and enters airways.

H318 Causes serious eye damage.

Precautionary statements Prevention:

P280 Wear eye protection/ face protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON

CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with

SikaStabilizer - 3710 TBM



Version Revision Date: SDS Number: Date of last issue: -

1.0 01.07.2024 100000058679 Date of first issue: 01.07.2024

water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON

CENTER/ doctor.

P331 Do NOT induce vomiting.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Distillates (petroleum), hydro- treated light	64742-47-8	>= 30 -< 50
Isotridecanol,-ethoxylated (>5-20 EO)	69011-36-5	>= 3 -< 10

4. FIRST AID MEASURES

Description of necessary first-aid measures

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.

Consult a physician after significant exposure.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water. If symptoms persist, call a physician.

In case of eye contact : Small amounts splashed into eyes can cause irreversible tis-

sue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses.

Keep eye wide open while rinsing.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do NOT induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

SikaStabilizer - 3710 TBM



Revision Date: SDS Number: Version Date of last issue: -

01.07.2024 100000058679 Date of first issue: 01.07.2024 1.0

Take victim immediately to hospital.

Most important symptoms and effects, both acute and delayed

May be fatal if swallowed and enters airways. Risks

Causes serious eye damage.

Risk of serious damage to the lungs (by aspiration).

irritant effects

Aspiration may cause pulmonary oedema and pneumonitis.

Excessive lachrymation

See Section 11 for more detailed information on health effects

and symptoms.

Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

5. FIREFIGHTING MEASURES

Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Special hazards arising from the substance or mixture

Hazardous combustion prod- : No hazardous combustion products are known

Special protective actions for fire-fighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

for firefighters

Specific extinguishing meth-

: Standard procedure for chemical fires.

ods

ucts

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment.

Deny access to unprotected persons.

Environmental precautions

Environmental precautions Try to prevent the material from entering drains or water

courses.

No special environmental precautions required.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

SikaStabilizer - 3710 TBM



Version Revision Date: SDS Number: Date of last issue: -

1.0 01.07.2024 100000058679 Date of first issue: 01.07.2024

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : Avoid exceeding the given occupational exposure limits (see

section 8).

Do not get in eyes, on skin, or on clothing. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Follow standard hygiene measures when handling chemical

products

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

Conditions for safe storage, including any incompatibilities

Conditions for safe storage : Store in original container.

Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Observe label precautions.

Store in accordance with local regulations.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated light	64742-47-8	PEL (long term) (Mist)	5 mg/m3	SG OEL
		PEL (short term) (Mist)	10 mg/m3	SG OEL
		TWA	200 mg/m3 (total hydrocarbon vapor)	ACGIH

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection : Safety eyewear complying with an approved standard should

be used when a risk assessment indicates this is necessary.

SikaStabilizer - 3710 TBM



Version Revision Date: SDS Number: Date of last issue: -

1.0 01.07.2024 100000058679 Date of first issue: 01.07.2024

Skin protection : Choose body protection in relation to its type, to the concen-

tration and amount of dangerous substances, and to the spe-

cific work-place.

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max-

imum expected contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-

contained breathing apparatus must be used.

Hand protection : Chemical-resistant, impervious gloves complying with an

approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec-

essary.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : viscous liquid

Colour : milky

Odour : aliphatic

Odour Threshold : No data available

pH : No data available

Melting point/ range / Freez-

ina point

No data available

Boiling point/boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : 2,300 hPa

Relative vapour density : 0.804

Density : 1.0 - 1.2 g/cm3

Solubility(ies)

SikaStabilizer - 3710 TBM



Version Revision Date: SDS Number: Date of last issue: -

1.0 01.07.2024 100000058679 Date of first issue: 01.07.2024

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : > 20.5 mPa.s (40 °C (104 °F))

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : The product is chemically stable.

Possibility of hazardous reac- :

tions

No hazards to be specially mentioned.

Conditions to avoid : No data available

Incompatible materials : No data available

Hazardous decomposition

products

No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified due to lack of data.

Skin corrosion/irritation

Not classified due to lack of data.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

SikaStabilizer - 3710 TBM



Version Revision Date: SDS Number: Date of last issue: -

1.0 01.07.2024 100000058679 Date of first issue: 01.07.2024

Respiratory sensitisation

Not classified due to lack of data.

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Aspiration toxicity

May be fatal if swallowed and enters airways.

12. ECOLOGICAL INFORMATION

Toxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological infor-

mation

There is no data available for this product.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Send to a licensed waste management company.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

Do not re-use empty containers.

SikaStabilizer - 3710 TBM



Version Revision Date: SDS Number: Date of last issue: -

1.0 01.07.2024 100000058679 Date of first issue: 01.07.2024

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : Not applicable
UN proper shipping name : Not applicable
Transport hazard class(es) : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable

Environmentally hazardous : no

IATA-DGR

UN/ID No. : Not applicable
UN proper shipping name : Not applicable
Transport hazard class(es) : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo : Not applicable

aircraft)

Packing instruction (passen-

ger aircraft)

Not applicable

IMDG-Code

Not applicable **UN** number UN proper shipping name Not applicable Transport hazard class(es) Not applicable Not applicable Subsidiary risk Packing group Not applicable Not applicable Labels **EmS Code** Not applicable Marine pollutant Not applicable

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

Environmental Protection and Management Act and

Environmental Protection and Management (Hazard-

ous Substances) Regulations

Not applicable

SikaStabilizer - 3710 TBM



SDS Number: Version Revision Date: Date of last issue: -

01.07.2024 100000058679 Date of first issue: 01.07.2024 1.0

16. OTHER INFORMATION

SVHC

Revision Date 01.07.2024 Date format dd.mm.yyyy

Full text of other abbreviations

ACGIH USA, ACGIH Threshold Limit Values (TLV)

SG OEL Singapore. Workplace Safety and Health (General Provisions)

Regulations - First Schedule Permissible Exposure Limits of

Toxic Substances.

ACGIH / TWA 8-hour, time-weighted average

SG OEL / PEL (long term) Permissible Exposure Level (PEL) Long Term Permissible Exposure Level (PEL) Short Term SG OEL / PEL (short term)

European Agreement concerning the International Carriage of **ADR**

Dangerous Goods by Road

Chemical Abstracts Service CAS **DNEL** Derived no-effect level

EC50 Half maximal effective concentration

GHS Globally Harmonized System

International Air Transport Association IATA

International Maritime Code for Dangerous Goods **IMDG**

Median lethal dosis (the amount of a material, given all at LD50

once, which causes the death of 50% (one half) of a group of

test animals)

LC50 Median lethal concentration (concentrations of the chemical in

air that kills 50% of the test animals during the observation

period)

MARPOL International Convention for the Prevention of Pollution from

Ships, 1973 as modified by the Protocol of 1978

OEL Occupational Exposure Limit

PBT Persistent, bioaccumulative and toxic **PNEC** Predicted no effect concentration

Regulation (EC) No 1907/2006 of the European Parliament **REACH**

> and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency

Substances of Very High Concern

Very persistent and very bioaccumulative vPvB

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing. SG / EN