Sika® ViscoCrete® SKY 8403



Version 2.0	Revision Date: 29.02.2024		SDS Number: 100000055438	Date of last issue: 24.01.2024 Date of first issue: 24.01.2024
1. PRO	DUCT AND COMPANY IDE	NT	IFICATION	
Pro	oduct identifier	:	Sika [®] ViscoCrete [®] SKY 8403	
	commended use of the ch		ical and restrictions on use Concrete admixtures	
Ма	nufacturer or supplier's de	eta	ils	
Co	mpany	:	Sika (Singapore) Pte Ltd.	
			28 Tuas South Ave 8 637648 Singapore	
Те	lephone	:	+65 6861 0632	
En be	nergency telephone num- r	:	+65 6861 0632	
E-r	mail address	:	-	
Te	lefax	:	+65 6862 3915	

2. HAZARDS IDENTIFICATION

GHS Classification		
Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 2
GHS label elements		
Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	H315 Causes skin irritation. H319 Causes serious eye irritation.
Precautionary statements	:	Prevention: P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ eye protection/ face protection.
		Response: P302 + P352 IF ON SKIN: Wash with plenty of water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water

Sika® ViscoCrete® SKY 8403



Version	Revision Date: 29.02.2024	SDS Number:	Date of last issue: 24.01.2024
2.0		100000055438	Date of first issue: 24.01.2024
		easy to do. Continue rinsir P332 + P313 If skin irritatio tion. P337 + P313 If eye irritatio tention.	ove contact lenses, if present and ng. on occurs: Get medical advice/ atten- on persists: Get medical advice/ at- taminated clothing and wash it before

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Methoxy polyethylen glycol methacrylate	26915-72-0	>= 20 -< 30
citric acid	77-92-9	>= 1 -< 10

4. FIRST AID MEASURES

General advice	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled :	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	Immediately flush eye(s) with plenty of water. Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed :	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention.
Most important symptoms and effects, both acute and delayed	Causes skin irritation. Causes serious eye irritation. irritant effects Excessive lachrymation Dermatitis See Section 11 for more detailed information on health effects

Sika[®] ViscoCrete[®] SKY 8403



Version 2.0	Revision Date: 29.02.2024		SDS Number: 100000055438	Date of last issue: 24.01.2024 Date of first issue: 24.01.2024
			and symptoms.	
Notes	to physician	:	Treat symptomatically.	
5. FIREFIG	GHTING MEASURES			
Suitab	ble extinguishing media	:	Use extinguishing measure cumstances and the surrou	es that are appropriate to local cir- unding environment.
Hazar ucts	dous combustion prod-	:	No hazardous combustion	products are known
Specif ods	fic extinguishing meth-	:	Standard procedure for che	emical fires.
	al protective equipment fighters	:	In the event of fire, wear se	elf-contained breathing apparatus.
6. ACCIDE	INTAL RELEASE MEAS	SUF	RES	
tive ec	nal precautions, protec- quipment and emer- procedures	:	Use personal protective eq Deny access to unprotecte	
	ods and materials for nment and cleaning up	:	Soak up with inert absorbe acid binder, universal binde Keep in suitable, closed co	
7. HANDLI	NG AND STORAGE			
	e on protection against id explosion	:	Normal measures for preve	entive fire protection.
Advice	e on safe handling	:	section 8). Do not get in eyes, on skin For personal protection see Smoking, eating and drinkin plication area.	
Condi	tions for safe storage	:	place.	

Sika[®] ViscoCrete[®] SKY 8403



Version	Revision Date:	SDS Number:	Date of last issue: 24.01.2024
2.0	29.02.2024	10000055438	Date of first issue: 24.01.2024

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment					
Respiratory protection :	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max- imum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when han- dling the product. If this concentration is exceeded, self- contained breathing apparatus must be used.				
Hand protection :	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.				
Eye protection :	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary.				
Skin and body protection :	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.				
Hygiene measures :	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.				

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	pale red-brown
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	3.0 - 5.0
Melting point/range / Freezing	:	No data available
point Boiling point/boiling range	:	No data available
Flash point	:	> 101 °C (214 °F) (Method: closed cup)

Sika[®] ViscoCrete[®] SKY 8403



Version 2.0	Revision Date: 29.02.2024		SDS Number: 100000055438	Date of last issue: 24.01.2024 Date of first issue: 24.01.2024
Evapo	pration rate	:	No data available	
Flamn	nability (solid, gas)	:	No data available	
	explosion limit / Upper ability limit	:	No data available	
	explosion limit / Lower ability limit	:	No data available	
Vapou	ır pressure	:	23 hPa	
Relati	ve vapour density	:	No data available	
Densi	ty	:	1.075 - 1.090 g/cm3 (23 °(C (73 °F))
	ility(ies) ater solubility	:	No data available	
So	lubility in other solvents	:	No data available	
	on coefficient: n- ol/water	:	No data available	
	gnition temperature	:	No data available	
Decor	mposition temperature	:	No data available	
Viscos Vis	sity scosity, dynamic	:	No data available	
Vis	scosity, kinematic	:	No data available	
Explo	sive properties	:	No data available	
Oxidiz	ring properties	:	No data available	

10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	Stable under recommended storage conditions.
Conditions to avoid	:	No data available
Incompatible materials	:	No data available

Sika® ViscoCrete® SKY 8403



/ersion 2.0	Revision Date: 29.02.2024	SDS Number: 100000055438	Date of last issue: 24.01.2024 Date of first issue: 24.01.2024
	OLOGICAL INFORMA	TION	
	toxicity assified due to lack of c	lata.	
<u>Comp</u>	onents:		
citric a Acute	acid: oral toxicity	: LD50 Oral (Rat): 11,700	mg/kg
Acute	dermal toxicity	: LD50 Dermal (Rat): > 2,0	000 mg/kg
	sorrosion/irritation		
	us eye damage/eye irr s serious eye irritation.		
Respi	ratory or skin sensitis	sation	
	ensitisation assified due to lack of c	lata.	
-	ratory sensitisation assified due to lack of c	lata.	
	cell mutagenicity assified due to lack of c	lata.	
	nogenicity assified due to lack of c	lata.	
-	ductive toxicity assified due to lack of c	lata.	
	- single exposure assified due to lack of c	lata.	
	- repeated exposure assified due to lack of c	lata.	
-	ation toxicity assified due to lack of c	lata.	
2. ECOLC	GICAL INFORMATIO	N	
Ecoto	xicity		
	onents:		

citric acid: Toxicity to fish

: LC50 (Fish): 440 - 760 mg/l Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 120 mg/l

Sika® ViscoCrete® SKY 8403



Vers 2.0	sion	Revision Date: 29.02.2024	SDS Number: 100000055438	Date of last issue: 24.01.2024 Date of first issue: 24.01.2024
	aquatic invertebrates		Exposure time: 48 h	
	Persistence and degradability No data available			
	Bioaccumulative potential No data available			
	Mobility i No data a			
	Other adverse effects			
	Product: Additional ecological infor- : mation		There is no data available for this product.	
13. DISPOSAL CONSIDERATIONS		CONSIDERATIONS		
	Disposal	methods		
	Waste fro	m residues :	Send to a licensed waste manage	ement company.
			Do not contaminate ponds, waten cal or used container.	ways or ditches with chemi-
	Contamin	ated packaging :	Empty remaining contents. Dispose of as unused product.	
			Do not re-use empty containers.	

14. TRANSPORT INFORMATION

International Regulations

Sika[®] ViscoCrete[®] SKY 8403



Version 2.0	Revision Date: 29.02.2024	SDS Number: 100000055438	Date of last issue: 24.01.2024 Date of first issue: 24.01.2024
ger air	rcraft)		
UN nu Prope Class Subsid	r shipping name diary risk ng group s	 Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable Not applicable	

: Not applicable Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Not applicable

Marine pollutant

15. REGULATORY INFORMATION

Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

Environmental Protection and Management Act and : Not applicable Environmental Protection and Management (Hazardous Substances) Regulations

16. OTHER INFORMATION

		29.02.2024 dd.mm.yyyy		
Full text of other abbreviations				
ADR	:	European Agreement concerning the International Carriage of Dangerous Goods by Road		
CAS	:	Chemical Abstracts Service		
DNEL	:	Derived no-effect level		
EC50	:	Half maximal effective concentration		
GHS	:	Globally Harmonized System		
ΙΑΤΑ	:	International Air Transport Association		
IMDG	:	International Maritime Code for Dangerous Goods		
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)		
LC50	:	Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)		
MARPOL	:	International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978		
OEL	:	Occupational Exposure Limit		

Sika[®] ViscoCrete[®] SKY 8403



Version 2.0	Revision Date: 29.02.2024	SDS Number: 100000055438	Date of last issue: 24.01.2024 Date of first issue: 24.01.2024
PBT PNEC REACH SVHC		and of the Council of 18 D istration, Evaluation, Autho	ntration 2006 of the European Parliament ecember 2006 concerning the Reg- prisation and Restriction of Chemi- g a European Chemicals Agency
vPvB		: Very persistent and very b	

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing. SG / EN