

# SAFETY DATA SHEET

## Sikalastic®-215 Drylok®



Version  
1.1

Revision Date:  
30.01.2026

SDS Number:  
100000068518

Date of last issue: 03.12.2025  
Date of first issue: 03.12.2025

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product identifier** : Sikalastic®-215 Drylok®

#### **Manufacturer or supplier's details**

**Company** : Sika (Singapore) Pte Ltd.

28 Tuas South Ave 8  
637648 Singapore

**Telephone** : +65 6861 0632

**Emergency telephone number** : +65 6861 0632

**E-mail address** : -

**Telefax** : +65 6862 3915

---

### 2. HAZARDS IDENTIFICATION

#### **Classification of the substance or mixture**

**Short-term (acute) aquatic hazard** : Category 1

#### **GHS Label elements, including precautionary statements**

**Hazard pictograms** :



**Signal word** : Warning

**Hazard statements** : H400 Very toxic to aquatic life.

**Precautionary statements** :

#### **Prevention:**

P273 Avoid release to the environment.

#### **Response:**

P391 Collect spillage.

#### **Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

#### **Other hazards which do not result in classification**

None known.

---

# SAFETY DATA SHEET

## Sikalastic®-215 Drylok®



Version  
1.1

Revision Date:  
30.01.2026

SDS Number:  
100000068518

Date of last issue: 03.12.2025  
Date of first issue: 03.12.2025

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
2-(2-methoxyethoxy)ethanol	111-77-3	>= 1 -< 3
pyrithione zinc	13463-41-7	>= 0.1 -< 0.25
2-methyl-2H-isothiazol-3-one (MIT)	2682-20-4	>= 0.0025 -< 0.025
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	>= 0.0025 -< 0.025

### 4. FIRST AID MEASURES

#### Description of necessary first-aid measures

- General advice : No hazards which require special first aid measures.
- If inhaled : Move to fresh air.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.
- In case of eye contact : Remove contact lenses.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.

#### Most important symptoms and effects, both acute and delayed

- Risks : No known significant effects or hazards.  
See Section 11 for more detailed information on health effects and symptoms.

#### Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.

### 5. FIREFIGHTING MEASURES

#### Extinguishing media

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

# SAFETY DATA SHEET

## Sikalastic®-215 Drylok®



Version  
1.1

Revision Date:  
30.01.2026

SDS Number:  
100000068518

Date of last issue: 03.12.2025  
Date of first issue: 03.12.2025

---

### Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : No hazardous combustion products are known

### Special protective actions for fire-fighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal precautions : For personal protection see section 8.

### Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

### Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

---

## 7. HANDLING AND STORAGE

### Precautions for safe handling

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Avoid exceeding the given occupational exposure limits (see section 8). For personal protection see section 8. Follow standard hygiene measures when handling chemical products

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

---

# SAFETY DATA SHEET

## Sikalastic®-215 Drylok®



Version  
1.1

Revision Date:  
30.01.2026

SDS Number:  
100000068518

Date of last issue: 03.12.2025  
Date of first issue: 03.12.2025

### Conditions for safe storage, including any incompatibilities

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Store in accordance with local regulations.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

### Occupational Exposure Limits

Contains no substances with occupational exposure limit values.

### Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
isobutane	75-28-5	STEL	1,000 ppm	ACGIH

### Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary.

Skin protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : white

Odour : No data available

Odour Threshold : No data available

# SAFETY DATA SHEET

## Sikalastic®-215 Drylok®



Version  
1.1

Revision Date:  
30.01.2026

SDS Number:  
100000068518

Date of last issue: 03.12.2025  
Date of first issue: 03.12.2025

---

pH	:	ca. 9.1
Melting point/ range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	> 101 °C (214 °F) (Method: closed cup)
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	23 hPa
Relative vapour density	:	No data available
Density	:	ca. 1.378 g/cm <sup>3</sup> (20 °C (68 °F))
Solubility(ies)		
Water solubility	:	soluble
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	> 20.5 mm <sup>2</sup> /s ( 40 °C (104 °F))
Explosive properties	:	No data available
Oxidizing properties	:	No data available

---

### 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac-	:	Stable under recommended storage conditions.

# SAFETY DATA SHEET

## Sikalastic®-215 Drylok®



Version  
1.1

Revision Date:  
30.01.2026

SDS Number:  
100000068518

Date of last issue: 03.12.2025  
Date of first issue: 03.12.2025

---

tions

Conditions to avoid : No data available

Incompatible materials : No data available

Hazardous decomposition products : isobutane

---

### 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified due to lack of data.

#### Components:

##### pyrithione zinc:

Acute oral toxicity : Acute toxicity estimate: 221 mg/kg  
Method: Acute toxicity estimate according to Regulation (EC)  
No. 1272/2008

Acute inhalation toxicity : Acute toxicity estimate: 0.14 mg/l  
Test atmosphere: dust/mist  
Method: Acute toxicity estimate according to Regulation (EC)  
No. 1272/2008

##### 2-methyl-2H-isothiazol-3-one (MIT):

Acute oral toxicity : LD50 (Rat): 200 mg/kg

#### Skin corrosion/irritation

Not classified due to lack of data.

#### Serious eye damage/eye irritation

Not classified due to lack of data.

#### Respiratory or skin sensitisation

##### Skin sensitisation

Not classified due to lack of data.

##### Respiratory sensitisation

Not classified due to lack of data.

##### Germ cell mutagenicity

Not classified due to lack of data.

##### Carcinogenicity

Not classified due to lack of data.

##### Reproductive toxicity

Not classified due to lack of data.

# SAFETY DATA SHEET

## Sikalastic®-215 Drylok®



Version  
1.1

Revision Date:  
30.01.2026

SDS Number:  
100000068518

Date of last issue: 03.12.2025  
Date of first issue: 03.12.2025

---

### STOT - single exposure

Not classified due to lack of data.

### STOT - repeated exposure

Not classified due to lack of data.

### Aspiration toxicity

Not classified due to lack of data.

---

## 12. ECOLOGICAL INFORMATION

### Toxicity

#### Components:

##### **pyrithione zinc:**

M-Factor (Acute aquatic toxicity) : 1,000

M-Factor (Chronic aquatic toxicity) : 10

##### **2-methyl-2H-isothiazol-3-one (MIT):**

M-Factor (Acute aquatic toxicity) : 10

M-Factor (Chronic aquatic toxicity) : 1

##### **reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):**

M-Factor (Acute aquatic toxicity) : 100

M-Factor (Chronic aquatic toxicity) : 100

### Persistence and degradability

No data available

### Bioaccumulative potential

No data available

### Mobility in soil

No data available

### Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life.  
Harmful to aquatic life with long lasting effects.

---

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Send to a licensed waste management company.

---

# SAFETY DATA SHEET

## Sikalastic®-215 Drylok®



Version  
1.1

Revision Date:  
30.01.2026

SDS Number:  
100000068518

Date of last issue: 03.12.2025  
Date of first issue: 03.12.2025

The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.

Do not re-use empty containers.

### 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 3082  
UN proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(pyrithione zinc)  
Transport hazard class(es) : 9  
Packing group : III  
Labels : 9  
Environmental hazards : yes

##### IATA-DGR

UN/ID No. : UN 3082  
UN proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(pyrithione zinc)  
Transport hazard class(es) : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes  
Remarks : Transport in accordance with special regulation A 197

##### IMDG-Code

UN number : UN 3082  
UN proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(pyrithione zinc)  
Transport hazard class(es) : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes  
Remarks : Transport in accordance with 2.10.2.7 of the IMDG-Code

#### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

# SAFETY DATA SHEET

## Sikalastic®-215 Drylok®



Version  
1.1

Revision Date:  
30.01.2026

SDS Number:  
100000068518

Date of last issue: 03.12.2025  
Date of first issue: 03.12.2025

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 15. REGULATORY INFORMATION

### Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subject to the requirements in the Act/Regulations.

Environmental Protection and Management Act and : Not applicable  
Environmental Protection and Management (Hazardous Substances) Regulations

## 16. OTHER INFORMATION

Revision Date : 30.01.2026  
Date format : dd.mm.yyyy

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / STEL : Short-term exposure limit

ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS : Chemical Abstracts Service

DNEL : Derived no-effect level

EC50 : Half maximal effective concentration

GHS : Globally Harmonized System

IATA : International Air Transport Association

IMDG : International Maritime Code for Dangerous Goods

LD50 : Median lethal dose (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)

LC50 : Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)

MARPOL : International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978

OEL : Occupational Exposure Limit

PBT : Persistent, bioaccumulative and toxic

PNEC : Predicted no effect concentration

REACH : Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency

SVHC : Substances of Very High Concern

vPvB : Very persistent and very bioaccumulative

# SAFETY DATA SHEET

## Sikalastic®-215 Drylok®



Version  
1.1

Revision Date:  
30.01.2026

SDS Number:  
100000068518

Date of last issue: 03.12.2025  
Date of first issue: 03.12.2025

---

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.  
SG / EN