Sikaflex[®]-292i



| Version 1.1 | Revision Date: 12.12.2022 | | SDS Number: 000000607756 | Date of last issue: 18.04.2019 Date of first issue: 18.04.2019 |
|----------------|------------------------------|------|---|---|
| 1. PRODU | CT AND COMPANY IDE | NT | IFICATION | |
| Produ | ict name | : | Sikaflex [®] -292i | |
| Manu | facturer or supplier's de | etai | Is | |
| Comp | bany | : | Sika (Singapore) Pte Ltd. | |
| | | | 28 Tuas South Ave 8 637648 Singapore | |
| Telep | hone | : | +65 6861 0632 | |
| Emerg | gency telephone number | : | +65 6861 0632 | |
| E-mai | il address | : | - | |
| Telefa | ах | : | +65 6862 3915 | |
| Reco | mmended use of the ch | em | ical and restrictions on use | |
| Produ | ict use | : | Sealant/adhesive | |

| : | Category 1 |
|---|---|
| | |
| : | |
| : | Warning |
| : | H317 May cause an allergic skin reaction. |
| : | P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use. |
| | Prevention: |
| | P261 Avoid breathing mist or vapours. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves. |
| | Response: |
| | P302 + P352 IF ON SKIN: Wash with plenty of water. |
| | : |

Revision Date:

Sikaflex[®]-292i

Version



Date of last issue: 18.04.2019

| .1 | 12.12.2022 | 00000607756 | Date of first issue: 18.04.2019 |
|-----|------------|--|---|
| | | vice/ attention. | on or rash occurs: Get medical ad- taminated clothing and wash it before |
| | | Disposal: | |
| | | P501 Dispose of contents/ disposal plant. | container to an approved waste |
| • … | | ot result in classification | |
| Non | e known. | | |

SDS Number:

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | CAS-No. | Concentration (% w/w) |
|---|--------------|-----------------------|
| Hexamethylene-1,6-diisocyanate homopolymer | 28182-81-2 | >= 0.1 -< 1 |
| Hardener LH (1,6-Hexanedialdimine) | 613222-52-9 | >= 0.1 -< 1 |
| Hardener LI (Isophoronedialdimine) | 932742-30-8 | >= 0.1 -< 1 |
| Reaction product of Hexamethylene diisocya- nate, oligomers with Mercaptopropyltrimethox- ysilane | Not Assigned | >= 0.1 -< 1 |
| bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate | 41556-26-7 | >= 0.1 -< 0.25 |

4. FIRST AID MEASURES

| General advice | : | Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. |
|---|---|---|
| If inhaled | : | Move to fresh air. Consult a physician after significant exposure. |
| In case of skin contact | : | Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician. |
| In case of eye contact | : | Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. |
| If swallowed | : | Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention. |
| Most important symptoms and effects, both acute and | : | sensitising effects Allergic reactions |

Sikaflex[®]-292i



| Versi 1.1 | on Revision Date: 12.12.2022 | | SDS Number: 000000607756 | Date of last issue: 18.04.2019 Date of first issue: 18.04.2019 |
|--------------|---|---|--|---|
| | delayed | | See Section 11 for more detailed and symptoms. May cause an allergic skin reaction | |
| | Notes to physician | : | Treat symptomatically. | |
| 5. FI | REFIGHTING MEASURES | | | |
| | Suitable extinguishing media | : | Use extinguishing measures that cumstances and the surrounding | |
| | Hazardous combustion prod- ucts | : | No hazardous combustion produc | cts are known |
| | Specific extinguishing meth- ods | : | Standard procedure for chemical | fires. |
| | Special protective equipment for firefighters | : | In the event of fire, wear self-cont | ained breathing apparatus. |

6. ACCIDENTAL RELEASE MEASURES

| Personal precautions, protec- tive equipment and emer- gency procedures | : | Use personal protective equipment. Deny access to unprotected persons. |
|---|---|--|
| Environmental precautions | : | Do not flush into surface water or sanitary sewer system. |
| Methods and materials for containment and cleaning up | : | Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. |

7. HANDLING AND STORAGE

| Advice on protection against fire and explosion | : | Normal measures for preventive fire protection. |
|---|---|--|
| Advice on safe handling | : | Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products |

Sikaflex[®]-292i



| Version 1.1 | Revision Date: 12.12.2022 | SDS Number: 000000607756 | Date of last issue: 18.04.2019 Date of first issue: 18.04.2019 | | |
|----------------|--|--|---|--|--|
| Condi | tions for safe storage | : Keep container tightly clos place. Store in accordance with le | ed in a dry and well-ventilated ocal regulations. | | |
| 8. EXPOS | 8. EXPOSURE CONTROLS/PERSONAL PROTECTION | | | | |

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

| · · · · · · · · · · · · · · · · · · · | | |
|---------------------------------------|---|---|
| Respiratory protection | : | Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. The filter class for the respirator must be suitable for the max- imum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when han- dling the product. If this concentration is exceeded, self- contained breathing apparatus must be used. |
| Hand protection | : | Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. |
| Eye protection | : | Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary. |
| Skin and body protection | : | Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place. |
| Hygiene measures | : | Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. |

9. PHYSICAL AND CHEMICAL PROPERTIES

| F • · · · · | | 4/0 |
|--------------------------------------|---|--|
| Melting point/range / Freezing point | : | No data available |
| рН | : | Not applicable substance/mixture is non-soluble (in water) |
| Odour Threshold | : | No data available |
| Odour | : | odourless |
| Colour | : | various |
| Appearance | : | paste |

Sikaflex[®]-292i



| ersion .1 | Revision Date: 12.12.2022 | | SDS Number: 000000607756 | Date of last issue: 18.04.2019 Date of first issue: 18.04.2019 |
|---------------|--|---|---|---|
| Boiling | g point/boiling range | : | No data available | |
| Flash | point | : | > 101 °C (214 °F) (Method: closed cup) | |
| Evapo | pration rate | : | No data available | |
| Flamn | nability (solid, gas) | : | No data available | |
| | explosion limit / Upper ability limit | : | No data available | |
| | explosion limit / Lower ability limit | : | No data available | |
| Vapoι | ur pressure | : | 0.01 hPa | |
| Relati | ve vapour density | : | No data available | |
| Densi | ty | : | ca. 1.3 g/cm3 (20 °C (68 °F)) | |
| | ility(ies) ater solubility | : | insoluble | |
| So | lubility in other solvents | : | No data available | |
| | on coefficient: n- | : | No data available | |
| | ol/water gnition temperature | : | No data available | |
| Decor | mposition temperature | : | No data available | |
| Viscos Vis | sity scosity, dynamic | : | Not applicable | |
| Vis | scosity, kinematic | : | Not applicable | |
| Explo | sive properties | : | No data available | |
| Oxidiz | zing properties | : | No data available | |

10. STABILITY AND REACTIVITY

| Reactivity | : | No dangerous reaction known under conditions of normal use. |
|---|---|---|
| Chemical stability | : | The product is chemically stable. |
| Possibility of hazardous reac- tions | : | No hazards to be specially mentioned. |
| Conditions to avoid | : | No data available |

Sikaflex[®]-292i



| ersion 1 | Revision Date: 12.12.2022 | SDS Number: 000000607756 | Date of last issue: 18.04.2019 Date of first issue: 18.04.2019 |
|-------------|--|--|---|
| Incom | patible materials | : No data available | |
| 1. TOXIC | OLOGICAL INFORM | ATION | |
| | e toxicity assified based on ava | ilable information. | |
| Comp | onents: | | |
| Hexar | | yanate homopolymer: : LD50 Oral (Rat): > | 2,500 mg/kg |
| Acute | inhalation toxicity | : LC50: 1.5 mg/l Exposure time: 4 h Test atmosphere: c Method: Expert jud | |
| Acute | dermal toxicity | : LD50 Dermal (Rat) | : > 2,000 mg/kg |
| | ener LI (Isophoronec oral toxicity | lialdimine): : LD50 Oral (Rat): > | 2,000 mg/kg |
| Acute | dermal toxicity | : LD50 Dermal (Rabl | bit): > 2,000 mg/kg |
| Not cla | corrosion/irritation assified based on ava us eye damage/eye i | | |
| | assified based on ava | | |
| Respi | ratory or skin sensit | isation | |
| | sensitisation ause an allergic skin r | eaction. | |
| • | ratory sensitisation assified based on ava | ilable information. | |
| | cell mutagenicity assified based on ava | ilable information. | |
| | n ogenicity assified based on ava | ilable information. | |
| • | oductive toxicity assified based on ava | ilable information. | |
| STOT | - single exposure assified based on ava | | |
| | - repeated exposure | | |
| | | | |

Disposal methods Waste from residues

Sikaflex[®]-292i



| rsion | Revision Date: 12.12.2022 | SDS Number: 000000607756 | Date of last issue: 18.04.2019 Date of first issue: 18.04.2019 |
|----------------------------|---|--|---|
| • | ation toxicity | | |
| Not cla | assified based on availa | ole information. | |
| 2. ECOLO | OGICAL INFORMATION | l | |
| Ecoto | xicity | | |
| <u>Comp</u> | onents: | | |
| | ner LI (Isophoronedia ty to fish | ldimine): : LC50 (Fish): 87.2 mg/l Exposure time: 96 h | |
| | ty to daphnia and other c invertebrates | : EC50 (Daphnia (water fle Exposure time: 48 h | ea)): > 100 mg/l |
| Toxicit plants | ty to algae/aquatic | : EC50 (Desmodesmus su Exposure time: 72 h | ıbspicatus (green algae)): 180.4 mg/l |
| React ysilan | | thylene diisocyanate, oligo | mers with Mercaptopropyltrimethox- |
| | ty to fish | : LC50 (Brachydanio rerio Exposure time: 96 h Method: OECD Test Guid | , ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, , |
| | ty to daphnia and other c invertebrates | : EC50 (Daphnia magna (\ Exposure time: 48 h Method: OECD Test Guid | |
| Toxicit plants | ty to algae/aquatic | : EC50 (Pseudokirchneriel Exposure time: 72 h Method: OECD Test Guid | la subcapitata (algae)): > 100 mg/l deline 201 |
| | stence and degradabili ta available | ty | |
| | cumulative potential ta available | | |
| | i ty in soil ta available | | |
| Other | adverse effects | | |
| Produ Additic matior | onal ecological infor- | : There is no data available | e for this product. |

cal or used container.

7/9

: Do not contaminate ponds, waterways or ditches with chemi-

Sikaflex[®]-292i



| /ersion .1 | Revision Date: 12.12.2022 | | SDS Number: 000000607756 | Date of last issue: 18.04.2019 Date of first issue: 18.04.2019 |
|------------------|---------------------------|---|---|---|
| | | | Send to a licensed waste man | agement company. |
| Contar | ninated packaging | : | Empty remaining contents. | |
| | | | Dispose of as unused product Do not re-use empty contained | |
| 14. TRANS | PORT INFORMATION | | | |
| Interna | ational Regulations | | | |
| UNRTI | | | | |
| | mber or ID number | : | Not applicable | |
| | shipping name | : | Not applicable | |
| Class | | : | Not applicable | |
| | iary risk | ÷ | Not applicable | |
| Packin Labels | g group | ÷ | Not applicable | |
| Labels | | • | Not applicable | |
| IATA-D | | | | |
| UN/ID | | : | Not applicable | |
| | shipping name | : | Not applicable | |
| Class | , | : | Not applicable | |
| | iary risk | : | Not applicable | |
| | g group | ÷ | Not applicable | |
| Labels | a instruction (corao | ÷ | Not applicable Not applicable | |
| aircraft | g instruction (cargo | • | | |
| | g instruction (passen- | : | Not applicable | |
| ger air | | • | | |
| IMDG- | Code | | | |
| | mber or ID number | : | Not applicable | |
| Proper | shipping name | : | Not applicable | |
| Class | | : | Not applicable | |
| Subsid | iary risk | : | Not applicable | |
| | g group | : | Not applicable | |
| Labels | | : | Not applicable | |
| EmS C | | : | Not applicable | |
| Marine | pollutant | : | Not applicable | |

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

Sikaflex[®]-292i



| Version 1.1 | Revision Date: 12.12.2022 | | SDS Number: 000000607756 | Date of last issue: 18.04.2019 Date of first issue: 18.04.2019 | | |
|----------------|--|------|--|---|--|--|
| Env ous | vironmental Protection an vironmental Protection an Substances) Regulation | d Ma | | lot applicable | | |
| 16. OTH | ER INFORMATION | | | | | |
| | vision Date | : | 12.12.2022 | | | |
| | e format | : | dd.mm.yyyy | | | |
| | I text of other abbreviat | ions | | | | |
| ADI | R | : | European Agreement conc Dangerous Goods by Road | erning the International Carriage of | | |
| CA | S | : | Chemical Abstracts Service | | | |
| DN | | : | Derived no-effect level | | | |
| EC | | : | Half maximal effective concentration | | | |
| GH | | : | Globally Harmonized System | | | |
| IAT | | : | International Air Transport Association | | | |
| IME | | | International Maritime Code for Dangerous Goods | | | |
| LD | 50 | · | Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of | | | |
| | LC50 | | test animals) | concentrations of the chemical in | | |
| LU | | | Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation | | | |
| | | | period) | | | |
| MA | RPOL | : | : International Convention for the Prevention of Pollution from | | | |
| _ | | | Ships, 1973 as modified by | | | |
| OE | | : | Occupational Exposure Limit | | | |
| PB | | : | Persistent, bioaccumulative and toxic | | | |
| PN | - | ÷ | Predicted no effect concent | | | |
| KE/ | ACH | : | and of the Council of 18 De istration, Evaluation, Author | 006 of the European Parliament ecember 2006 concerning the Reg- risation and Restriction of Chemi- a European Chemicals Agency | | |
| SVI | HC | : | Substances of Very High C | | | |
| vPv | | : | Very persistent and very bi | | | |
| | | | | | | |

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing. SG / EN